

All in one catalogue. All in tested quality.

Mercedes-Benz Genuine Accessories for the combined truck range.

Being a truck driver is more than just a job – it's a way of life. That's why it's important to us to offer you more. This catalogue presents the full range of Mercedes-Benz Genuine Accessories – perfectly designed for work and life on the move. You'll find everything you need to give your truck an individual character and to create a comfortable and ergonomic workplace, plus practical and useful items to assist you with your work and to boost efficiency and safety.

You can rely on the quality of Mercedes-Benz Genuine Accessories. After all, they are subject to the same exacting standards as we apply to the development of our vehicles. From evaluations of electromagnetic compatibility and operational durability to summer and winter trials – every one of our accessories has to undergo rigorous testing to demonstrate that it is suited to the demands of your job. In short: you can be sure that every product is impressively reliable and durable.

Mercedes-Benz Genuine Accessories are only available via Mercedes-Benz service outlets. Our staff will be happy to provide expert advice. Your Mercedes-Benz partner also offers a professional installation service, if you require.

We look forward to welcoming you!

So that you can tell instantly which accessories are available for which vehicle, we have assigned each model series its own symbol:

- Ac1** Actros 1, model year 1996 – 2002, model variant 950 – 954
- Ac2** Actros 2, model year 2002 – 2008, model variant 930 – 934, Code XV7
- Ac3** Actros 3, model year from 2008, model variant 930 – 934, Code XV6
- Ac4** Actros 4, model year from 2011, model variant 963, Code V1A
- An** Antos, model year from 2012, model variant 963, Code V1C
- Ar** Arocs, model year from 2013, model variant 964
- Ax1** Axor 1, model year from 2001
- Ax2** Axor 2, model year from 2004
- Axf** Axor 2 facelift, model year from 2010
- At1** Atego 1, model year 1998 – 2004, model variant 970 – 976
- At2** Atego 2, model year 2004 – 2010, model variant 970 – 976, Code XV1
- Atf** Atego 2 facelift 2010, model year 2010 – 2013, model variant 970 – 976, Code XV8
- Atn** new Atego, model year from 2013, model variant 967
- Eco** Econic, all model years, model variant 957

Contents.

Activate the search function: ctrl + F or ⌘ + F

Click on an item in the table of content and you will be redirected to the requested section/chapter.

Product testing

Actros | Antos | Arocs



Exterior

Chrome louvres for front	10
Stainless steel louvres for front	11
Stainless steel wheel trim strips for front end	11
Stainless steel trim for gills in side panelling	11
Mercedes-Benz entrance emblem	12
Surround for Mercedes-Benz logo below windscreen	12
Chrome package	13
Chromed air intakes	13
Mirror trim	14
Roof-mounted headlamp holders	14
Headlamps	16
Rotating beacons	18
LED daytime running lamps	19
LED marker lamps	19
Illuminated Mercedes star incl. installation kit	20
Stainless steel front bar	20
Side window wind deflectors	21
Care set	22
Air horns	22
Stainless steel steps	23
Stainless steel front step	23
Stainless steel trim for steps	23
Shark's gill spoiler	24
Headlamp protector	24
Star decals	25
"Actros" decals for cab-side extenders	25
Flame decals	25
Stainless steel wheel trims	26
Wheel nut caps	26

Stainless steel rear wheel hub caps	27
Full wheel cover "Standard"	27
Valve extension	28
"Speedline" light-alloy wheel	28
Rotation chains	29
Wheel couplings	30
LubeTronic lubricant dispenser	31
Lockable fuel filler cap	31
Fluorescent jacket	32
Warning light	32
Mobile LED sequential flash set	33
Water canister	33

Interior

TopFit Set	34
Seat base coverings	35
Leather steering wheels	36
Footrest cushion	37
Instrument support trim, fine wood	38
Instrument support trim, aluminium-look	38
Centre stowage tray with galvanised edge	38
Stowage tray	39
CD box	39
Bedding sets	40
Fitted sheets/Mattress protector	41
"PremiumComfort" mattress	41
Kettle	42
"Classic" coffee maker	42
"Comfort" coffee maker	42
Coolbox CDF-35	43
On-board coolbox	43
SoloStar collapsible box	43
Swivel table	44
Folding table	44
LED reading lamp	45
Digital clock	45
Care set	46
Hand-held vacuum cleaner	46
Spectacles case, universal	47

Mercedes-Benz Genuine Accessories – extensive product testing as standard.

Mercedes-Benz Genuine Accessories bring tested quality to the road. Every product has to undergo rigorous testing to demonstrate that it will withstand daily use in and on the truck. And this testing begins during development of the new vehicle – something only Mercedes-Benz can offer. Only products that have passed with flying colours will be marketed as Mercedes-Benz Genuine Accessories. Which means you can always rely on high quality and durability, making your job more enjoyable, more comfortable and more efficient. The following pages show three of our product tests in more detail – and highlight the distinct advantages you enjoy as a result.

Electromagnetic compatibility: keeping work and communication interference-free.

Electronic devices are extensively tested for electromagnetic compatibility (EMC). Tests focus on two criteria: resistance to interference and the emission of interference. On the one hand they ensure that the accessory operates correctly,

without interference. And on the other they ensure that Mercedes-Benz Genuine Accessories do not interfere with electronic devices and radio/communication frequencies.

Your benefits at a glance:

- Interference-free operation of the electronic devices on board
- No interference with frequency waves, e.g. for CB radio, VHF or mobile communication
- Interference-free operation of control units and systems inside the vehicle



EMC testing in a hall specially shielded against external electromagnetic interference.

Durability: reliable operation even on poor-quality roads.

[back to contents](#)

Durability testing examines the interaction between accessories and vehicle during operation. Hydropulse test stands and torture tracks simulate potholes and real-world road conditions. And the vehicle speed and vehicle load are varied to reproduce a wide range of working operations. This allows the accessory to be tested under real stress conditions

over a long period. The toughest ordeals undergone by Mercedes-Benz Genuine Accessories are in a crash test. These examine what happens to any particular accessory in an accident – it is vital that passive safety is maintained even under such extreme conditions.

Your benefits at a glance:

- Durability as a result of robust, high-quality materials
- Accessories optimally tailored to the vehicle
- Tested and approved for the demands of everyday working life



The hydropulse test stand simulates potholes and poor road conditions.



Bending and breaking: roof-mounted headlamp holder in a crash test.

Winter and summer trials: coping with extremes.

Winter and summer place extreme demands on the vehicle and the materials. That's why Mercedes-Benz Genuine Accessories undergo rigorous testing in temperatures ranging from -40°C to $+40^{\circ}\text{C}$, to ensure optimum functionality at all times. The winter trials are carried out in Scandinavia and the summer

trials in southern Europe. Special vehicle testing sites and circuits are used to test performance on different surfaces, endurance and behaviour on uphill gradients with up to the maximum vehicle operating load.

Your benefits at a glance:

- Optimum functionality, even under extreme temperatures
- Impressive durability, even with the maximum vehicle operating load
- Consistently high quality, whatever the conditions



Test vehicles taking part in Mercedes-Benz winter trials in Scandinavia.

Give strong characters even more character.

Mercedes-Benz Genuine Accessories for Actros, Antos and Arocs.





Exterior

Whether in long-distance transport, in heavy short-radius distribution or for use on construction sites – with Mercedes-Benz Genuine Accessories and retrofit solutions for the exterior, your Actros, Antos or Arocs becomes a true one-of-a-kind vehicle. High-quality materials and extensive testing ensure that all items are suitable for even the toughest of operations.

Chrome louvres for front

The chrome louvres with special 3D-effect grille give the dynamic design of the Actros an even more expressive and high-quality look.

Cab	For cab width 2.50 m (F2H), attachment height 765 mm (F2P)
Fitting	Adhesive attachment to grille

Item designation	Vehicle	Part no.
Chrome louvres (1 - 4)	Ac4	B6 752 0170
Chrome louvres (1 - 5)	Ac4	B6 752 0180
Replacement parts	Vehicle	Part no.
Top chrome louvre	Ac4	B6 752 0174
Second chrome louvre	Ac4	B6 752 0175
Third chrome louvre	Ac4	B6 752 0176
Fourth chrome louvre	Ac4	B6 752 0177
Fifth chrome louvre	Ac4	B6 752 0178



[back to contents](#)

Stainless steel louvres for front



More character and a highly personal touch. Stainless steel louvres for the grille are a head-turning feature, wherever you go.

Cab	For cab width 2.30 m (F2G) and 2.50 m (F2H), attachment height 765 mm (F2P) and 600 mm (F2N), plus level floor (F2A) and engine tunnel
Material	High-sheen polished stainless steel
Fitting	Adhesive attachment to grille

Item designation	Vehicle	Part no.
1 Stainless steel louvres for front (F2A + F2G + F2P)	Ac4	B6 752 0190
Stainless steel louvres for front (F2A + F2H + F2P)	Ac4	B6 752 0191
1 Stainless steel louvres for front (F2G + F2N + engine tunnel)	Ac4 An	B6 752 0192

Stainless steel trim strips for front end



Stylish contours: the stainless steel trim strips emphasise the front apron to give the vehicle even more individual character.

Material	High-sheen polished stainless steel
Fitting	Adhesive attachment to front apron
Note	Set of stainless steel trim strips for front end (B6 752 0172); comprises outer and centre stainless steel trim strips (B6 752 0193 and B6 752 0194)

Item designation	Vehicle	Part no.
2 Outer stainless steel trim strips for front apron, pair (left and right)	Ac4	B6 752 0193
3 Centre stainless steel trim strip for front apron	Ac4 An	B6 752 0194
2 3 Set of stainless steel trim strips for front end	Ac4	B6 752 0172

Stainless steel trim for gills in side panelling



Distinctive details. The gill elements in the side panelling exude power and dynamism and accentuate the individual character of the Actros and Antos.

Material	High-sheen polished stainless steel
Fitting	Adhesive attachment to side panelling
Note	In conjunction with Code C8Z for wheelbase 3700 mm

Item designation	Vehicle	Part no.
Stainless steel trim for gills in side panelling	Ac4 An	B6 752 0195

[back to contents](#)

Mercedes-Benz entrance emblem



Refined detail: whether illuminated, not illuminated or with reflective lettering, the stainless steel emblem is an eye-catching addition.

Cab	For all cabs
Material	High-grade stainless steel
Note	For 2 the blue-illuminated lettering is activated by opening the door; connected to entry lights; in conj. w. attachment height 765 mm (Code F2P)

Item designation	Vehicle	Part no.
1 Mercedes-Benz entrance emblem with embossed lettering, approx. 270x80x0.6 mm	Ac1 Ac2 Ac3 Ac4 An Ar	B6 752 0123
2 Mercedes-Benz entrance emblem, illuminated, approx. 500x60x0.6 mm	Ac3 Ac4	B6 752 0137
3 Mercedes-Benz entrance emblem with reflective lettering, approx. 500x60x0.6 mm	Ac2 Ac3 Ac4 An Ar	B6 752 0173

Surround for Mercedes-Benz logo below windscreen



Underlining the brand: the perfect frame for the star logo on the front of your vehicle.

Cab	For all cabs
Material	High-sheen polished stainless steel, thickness 3 mm
Fitting	Adhesive attachment to front of vehicle

Item designation	Vehicle	Part no.
Surround for Mercedes-Benz logo	Ac3 Ac4 An Ar	B6 752 0196

Chrome package



The 5-piece chrome package impressively emphasises the contours of the trim grille.

Material	Plastic, with high-quality chromed finish.
Fitting	Adhesive attachment
Cab	Megaspace cab

Item designation	Vehicle	Part no.
4 Chrome package, 5-piece	Ac3	B6 752 0140

Replacement parts

Item designation	Vehicle	Part no.
4 Upper chrome strips, 2-piece, length 730 mm	Ac3	B6 752 0141
4 Centre chrome strips, 2-piece, length 590 mm	Ac3	B6 752 0142
4 Lower chrome strip, length 1350 mm	Ac3	B6 752 0143

Chrome trim and highlight on front-end flap, plus stainless steel trim for bumper

Item designation	Vehicle	Part no.
5 Chrome strip on front-end flap, 2-piece	Ac2	B6 752 0124
5 Chrome highlight on front-end flap, 2-piece	Ac2	B6 752 0125
6 Stainless steel trim for bumper, 3-piece, 324 kW/440 hp	Ac2 Ac3	B6 752 0126
Stainless steel trim for bumper, 3-piece, 339 kW/460 hp	Ac2 Ac3	B6 752 0127

Chromed air intakes



Eye-catching detail: a high-quality chromed finish for the air intakes. A subtle touch for "chrome newcomers". Or the perfect complement to the Actros chrome package.

Material	Plastic, chromed
Fitting	Simple adhesive attachment
Scope of delivery	Set for left and right air scoop

Item designation	Vehicle	Part no.
Chromed air intakes	Ac2 Ac3	B6 752 0145

Mirror trim





Fitting	Simple exchange; mirror trim as replacement for the original (e.g. Code FOX), clip-on	
Scope of delivery	For driver and co-driver's side	

Chromed mirror trim

Gleaming design: high-quality chromed trim for the exterior mirrors of the Actros.

Item designation	Vehicle	Part no.
1 Chromed mirror trim (Code FT2)	Ac3	B6 752 0150
2 Chromed mirror trim (Code DOC)	Ac4 An	B6 752 0197

Roof-mounted headlamp holders

Roof-mounted headlamp holder with concealed wiring harness.

Spot on: the roof-mounted headlamp holders are precision-tailored to the shape of the relevant cab and offer the perfect basis for up to four auxiliary headlamps. Designed to provide better illumination of the road or work area in front of the vehicle and to give the vehicle an individual look.

Material	High-sheen polished stainless steel
Dimensions	60 mm tube diameter
Scope of delivery	Includes 4 welded brackets for screw-attachment of headlamp units, incl. mounting materials and, depending on version, wiring harness
Product advantages	ECE-tested, approved for the European market; resistant to environmental influences, corrosion, stone impact
Note	Please observe country-specific statutory requirements for the attachment and use of roof-mounted headlamp holders

For Actros 4, Arocs

Note	Incl. mounting materials and concealed wiring harness, for attachment to Code L9C
-------------	---

Item designation	Vehicle	Part no.
3 Roof-mounted headlamp holder BigSpace (Code F2V)	Ac4 Ar	B6 752 0187

Roof-mounted headlamp holders








For Actros 4, Antos, Arocs		
Item designation	Vehicle	Part no.
4 Roof-mounted headlamp holder ClassicSpace (Code F2U)	Ac4 Ar An	B6 752 0186
5 Roof-mounted headlamp holder GigaSpace (Code F2X)	Ac4	B6 752 0188
6 Roof-mounted headlamp holder StreamSpace (Code F2W)	Ac4 Ar	B6 752 0189

For Actros 3		
Item designation	Vehicle	Part no.
7 For Megaspaces and L-cab with high roof (curved)	Ac3	B6 752 0253
8 For Megaspaces and L-cab with high roof (straight)	Ac3	B6 752 0252
9 For S-cab, M-cab and L-cab with low roof DD2 (without spoiler)	Ac3	B6 752 0247
Reinforcements for S-cab	Ac3	A 941 790 2204

1



Headlamps

Add to the shine of your truck: the auxiliary headlamps enhance the look of the vehicle and improve visibility.

Fitting	For all Mercedes-Benz roof-mounted headlamp holders
Scope of delivery	1 lamp
Note	National statutory requirements for the attachment of auxiliary headlamps apply; headlamps are ECE type-approved

Headlamp with LED position lights

Light performance. Powerful headlamp with 6 high-performance LEDs and distinctive night design. The ideal addition for enhanced lighting.

Technical data	24 V, suitable for H1 24 V/70 W bulb set, ref. 25, diameter 22 cm
Quality characteristics	High-boost reflector for ideal, even illumination of the road, developed using state-of-the-art computer technology; with flexible mounting system; headlamp with chrome surround; robust, impact-resistant housing; ECE type-approved headlamp

Item designation	Vehicle	Part no.
1 Headlamp with LED position lights	Ac1 Ac2 Ac3 Ac4 Ar	B6 683 0033

Headlamp

Headlamp including 24 V bulb for fitting on roof-mounted headlamp holder. Plastic housing, black with chrome surround.

Technical data	24 V, H1 bulb, ref. 17.5, diameter 22 cm
Note	Incl. bulb, without LED position lamp, without connecting cable

Item designation	Vehicle	Part no.
2 Headlamp without position lights	Ac1 Ac2 Ac3 Ac4 Ar	B6 683 0038

2



3



Headlamps

Headlamp with LED ring

More visibility: headlamp with open LED position ring

Technical data	Power consumption of H1 bulb 70 W, ref. 17.5, diameter 22 cm
Material	Reflector vapour-coated in pure aluminium, weather-sealed
Product advantages	High efficiency for optimised light distribution

Item designation	Vehicle	Part no.
3 Headlamp with LED ring	Ac1 Ac2 Ac3 Ac4 Ar	B6 683 0034

Floodlights

Designed to provide better illumination of the work area in front of the vehicle. Auxiliary headlamp with contemporary, clear-lens design.

Technical data	24 V, ref. 37.5, diameter 22 cm
-----------------------	---------------------------------

Item designation	Vehicle	Part no.
4 Floodlights	Ac1 Ac2 Ac3 Ac4 Ar	B6 683 0039

4



Rotating beacons

The amber rotating beacon on the roof of the cab warns other road users to take into account that the vehicle is carrying an oversize or very heavy load.

Fitting Fitted to the Mercedes-Benz roof-mounted headlamp holders using separately available adapter plate

Note The use of rotating beacons is reserved for priority vehicles and emergency vehicles

LED rotating beacon and adapter plate

Technical data Operating voltage 10-32 V, total current consumption 0.4 A

Dimensions Diameter 165 mm, height approx. 130 mm

Product advantages Rotating function without moving parts; low power consumption (10 W) as a result of LED technology; no additional costs for replacement parts or maintenance; smooth, impact-resistant and dirt-resistant dome; protection: IP X5K, IP X4K, IP X9K; GGVS/ADR-approved (transportation of hazardous goods)

Item designation	Vehicle	Part no.
1 LED rotating beacon	Ac4 Ar	B6 683 0035
Adapter plate, roof-mounted headlamp holder	Ac4 Ar	B6 752 0155

Rotating beacon and adapter plate

Material Beacon dome in polycarbonate, colour orange

Technical data H1 bulb, 24 V/70 W, total current consumption 3.5 A; parabolic reflector, toothed gear drive mechanism, rotation speed 160 rpm

Dimensions Height above cab roof 200 mm/235 mm – depending on air intake

Product advantages High light emission thanks to integral mirror effect; beacon dome in shatterproof polycarbonate; electric motor control with multi-voltage function for constant rotation frequency

Item designation	Vehicle	Part no.
2 Rotating beacon	Ac2 Ac3	A 001 820 1058
2 Adapter plate, roof-mounted headlamp holder	Ac2 Ac3	B6 752 0159



LED daytime running lamps

Lower maintenance, less downtime, increased safety: with LED daytime running lamps there's no need to use the low-beam headlamps during daylight hours.

Function Automatically activated when the engine is switched on and deactivated when the parking lights or low-beam headlamps are switched on

Colour White

Scope of delivery Set of 2

Product advantages Long service life (over 10,000 hours); low energy consumption (approx. 10 W)

For Actros 4

Note Requires Code L1H (halogen fog lamps)

Item designation	Vehicle	Part no.
3 LED daytime running lamps (Code L11)	Ac4	B6 683 0031
Wiring harness, LED daytime running lamps	Ac4	B6 683 0025

For Actros 3

Note For vehicles with front apron

Item designation	Vehicle	Part no.
4 LED daytime running lamps	Ac3	B6 683 0024
Wiring harness, LED daytime running lamps	Ac3	B6 683 0025



LED marker lamps

Perfect visibility at night: LED marker lamps with robust rubber housing.

Technical data 24 V/0.5 W, current consumption = approx. 20 mA

Fitting Simple replacement of standard lamps

Product advantages Long service life (up to 10,000 hours); wear-free and maintenance-free; high energy efficiency (approx. two to three times higher than conventional bulbs); ECE type-tested

Scope of delivery Set, consisting of two marker lamps with two white LEDs

Item designation	Vehicle	Part no.
LED marker lamps	Ac2 Ac3	B6 683 0020





Illuminated Mercedes star incl. installation kit

Shining detail: activate the white backlighting for the Mercedes star emblem at the touch of a button, for an even more sensational look.

Technical data	LED lighting with output of 1.9 W and diffuser lens
Scope of delivery	Installation kit for retrofit consists of star emblem, incl. LED, switch, wiring harness and mounting materials

For Actros 4, Antos, Arocs

Item designation	Vehicle	Part no.
1 Illuminated Mercedes star incl. installation kit (Code F2H)	Ac4 An Ar	B6 683 0036
Illuminated Mercedes star incl. installation kit (Code F2G)	Ac4 An Ar	B6 683 0041

For Actros 2, Actros 3

Item designation	Vehicle	Part no.
For S-cab, M-cab and L-cab (Code FA6)	Ac2 Ac3	B6 753 0169
2 For Megaspaces cab	Ac2 Ac3	B6 753 0170
3 Wiring harness, illuminated star emblem	Ac3	B6 753 0168


Stainless steel front bar



An effortlessly superior look: the robust front bar emphasises the Actros's distinctive appearance. A perfect fit for vehicles with underride guard.

Material	Tough, hand-polished stainless steel
Fitting	Attached using support provided or secured to towing device
Dimensions	Front bar with 60 mm diameter
Weight	Approx. 35 kg
Scope of delivery	Incl. mounting materials, TÜV certificate, instructions, information plate (tipping of cab)
Note	Homologation in relevant market must be respected

Item designation	Vehicle	Part no.
4 Stainless steel front bar for Megaspaces cab	Ac2 Ac3	B6 752 0146
4 Stainless steel front bar for S-cab, M-cab, L-cab	Ac2 Ac3	B6 752 0147
5 Stainless steel front bar	Ac4	B6 752 0152



Side window wind deflectors

Draught-free driving: the side window wind deflectors keep draughts at bay when you're driving with the window open. The perfect fit prevents wind noise developing on the move. With special aperture for the kerb-sight mirror on the co-driver's side.

Material	Acrylic glass, 3 mm thick
Colour	Available in tinted and clear version
Scope of delivery	Set for driver and co-driver's sides, incl. mounting kit

Item designation	Vehicle	Part no.
6 Side window wind deflectors for LHD, tinted	Ac2 Ac3	B6 753 0005
Side window wind deflectors for RHD, tinted	Ac2 Ac3	B6 753 0006
Side window wind deflectors for LHD, clear	Ac2 Ac3	B6 753 0030
Side window wind deflectors for LHD, tinted	Ac1	B6 753 0013
7 Side window wind deflectors for LHD, tinted	Ac4 An Ar	B6 753 0025
Side window wind deflectors for RHD, tinted	Ac4 An Ar	B6 753 0026
Side window wind deflectors for LHD, clear	Ac4 An Ar	B6 753 0027
Side window wind deflectors for RHD, clear	Ac4 An Ar	B6 753 0028

Replacement parts

Item designation	Vehicle	Part no.
Mounting kit, side window wind deflectors	Ac4 An Ar	B6 753 0029
Mounting kit, side window wind deflectors	Ac1 Ac2 Ac3	B6 753 0015

Care set

Keeping things shining and visibility good: the care set comprises a wide range of care products to help you look after your vehicle – outside and inside.

Scope of delivery Cabin care lotion, insect remover, interior glass cleaner, quick cleaner, polishing cloth, bag

Product advantages Care products have been specially developed for Mercedes-Benz vehicles and tested for material as well as environmental compatibility



Item designation	Vehicle	Part no.
1 Care set	Ac1 Ac2 Ac3 Ac4 An Ar	B6 684 8618
2 Chrome care	Ac1 Ac2 Ac3 Ac4 An Ar	A 000 986 4374



Air horns

Full 2-tone sound: these air horns help alert attention e.g. in hazardous situations. Visual enhancement and individualisation of the vehicle.

For Actros 4

Material Stainless steel

Fitting Mounting materials provided

Dimensions Horn length approx. 55 cm and 64 cm

Scope of delivery Set, consisting of two air horns incl. covers

Item designation	Vehicle	Part no.
3 Air horn set	Ac4	B6 684 8640

For Actros 1, Actros 2, Actros 3

Material Stainless steel

Dimensions Horn length 67 cm and 76 cm

Scope of delivery Set, consisting of two air horns incl. covers

Item designation	Vehicle	Part no.
4 Air horns	Ac1 Ac2 Ac3	B6 752 0401

Required mounting materials

Item designation	Vehicle	Part no.
Rocker switch	Ac1 Ac2 Ac3	A 003 545 6707
Solenoid valve	Ac1 Ac2 Ac3	A 004 997 9736
Sleeve	Ac1 Ac2 Ac3	A 007 545 8226




Stainless steel steps

For a safe entrance: high-shine polished stainless steel steps with non-slip edges and step surface. A visual upgrade for the cab entrance.

Material High-grade stainless steel

Fitting Simple replacement for original step

Scope of delivery 4 steps for each side, incl. stainless steel screws and stainless steel sheet metal nuts

Item designation	Vehicle	Part no.
5 4 steps, LH cab, left	Ac1 Ac2 Ac3	B6 752 0248
4 steps, LH cab, right	Ac1 Ac2 Ac3	B6 752 0249
6 Full set for Lowliner, 3 steps, left and right identical	Ac1 Ac2 Ac3	B6 752 0250

Replacement parts

Item designation	Vehicle	Part no.
Stainless steel nuts (set of 16)	Ac2 Ac3	B6 752 0277
Set of screws	Ac1 Ac2 Ac3	B6 752 0226




Stainless steel front step

Stepping up the style: front step, fitted in place of the standard step. With non-slip surface.

Material High-shine polished stainless steel

Fitting Simple replacement for original front step

Item designation	Vehicle	Part no.
Stainless steel front step	Ac2 Ac3	B6 752 0243

For vehicles with 2nd front step (high front apron)

Item designation	Vehicle	Part no.
Stainless steel front step	Ac3	B6 752 0256



Stainless steel trim for steps

Make a stylish entrance: high-shine polished stainless steel trim for the steps.

Material High-shine polished stainless steel

Cab Suitable for S-cab, M-cab and L-cab

Scope of delivery Set, consisting of 3 trim panels, identical for driver and co-driver's side

Item designation	Vehicle	Part no.
Stainless steel trim for steps	Ac2 Ac3	B6 752 0238



Shark's gill spoiler



Looking dangerously good: shark's gill spoiler which can be painted in body colour for the perfect look.

Material	Plastic, suitable for painting, thickness 3 mm	
Fitting	Simple adhesive attachment	
Cab	For Megaspacer cab and L-cab	
Scope of delivery	Set for driver and co-driver's side	
Item designation	Vehicle	Part no.
Shark's gill spoiler	Ac2 Ac3	B6 601 0145

Star decals



Star appeal: the extra-large star decals for the sides of the vehicle give it a very individual look that is simply impossible to ignore.

Material	3M decal, contour punched, laminated ready to apply	
Colour	Available in silver and anthracite	
Fitting	To be applied wet	
Scope of delivery	Available for either driver's or co-driver's side	
Item designation	Vehicle	Part no.
Silver, driver's side	Ac4	B6 782 0035
Silver, co-driver's side	Ac4	B6 782 0036
Anthracite, driver's side	Ac4	B6 782 0037
Anthracite, co-driver's side	Ac4	B6 782 0038

Headlamp protector



Optimum protection: the headlamp protector protects the main headlamps and fog lamps from loose chippings and the need for subsequent repairs. Folds out to allow cleaning of the headlamps.

Material	Acrylic glass	
Scope of delivery	Set for driver and co-driver's side, incl. mounting kit	
Item designation	Vehicle	Part no.
Headlamp protector	Ac2 Ac3	B6 601 0150

Replacement parts

Item designation	Vehicle	Part no.
1 Headlamp protector, left	Ac2 Ac3	B6 601 0146
Headlamp protector, right	Ac2 Ac3	B6 601 0147
Mounting kit, left	Ac2 Ac3	B6 601 0148
Mounting kit, right	Ac2 Ac3	B6 601 0149

"Actros" decals for cab-side extenders



Bold statement: "Actros" decals for the cab-side extenders.

Colour	Silver/anthracite	
Fitting	Simple adhesive attachment. Decals can also be applied wet	
Scope of delivery	Set for driver and co-driver's side	
Item designation	Vehicle	Part no.
"Actros" decals	Ac1 Ac2 Ac3	B6 782 0009

Flame decals



Sizzling design: the flame decals. The high-quality Mercedes-Benz decals lend the cab of your truck an individual look.

Colour	Available in red and silver	
Fitting	Simple adhesive attachment. Decals can also be applied wet	
Scope of delivery	Set for driver and co-driver's side	
Item designation	Vehicle	Part no.
Flame decals, red	Ac1 Ac2 Ac3 Ac4	B6 782 0000
2 Flame decals, silver	Ac1 Ac2 Ac3 Ac4	B6 782 0001

Stainless steel wheel trim



Because every detail counts: the wheel trim and wheel nut cap set protects the rim and the wheel nuts from damage and adds highlights to your Actros, Antos or Arocs.

Material	Stainless steel
Note	For 57.15 cm (22.5") rims

In polished stainless steel

Item designation	Vehicle	Part no.
------------------	---------	----------

For steel rim [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0610
(27 mm diameter nuts),
10-hole

1 For aluminium rim [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0611
(32 mm diameter nuts),
10-hole

In polished stainless steel, with plastic cover and chromed Mercedes star

Item designation	Vehicle	Part no.
------------------	---------	----------

2 For aluminium rim [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0612

2 Replacement star B6 601 0124



Wheel nut caps



Attractive and practical: wheel nut caps, designed to protect the wheel nuts and add an attractive touch.

Material	High-grade stainless steel
Note	Requirement per wheel: set of 10

Item designation	Vehicle	Part no.
------------------	---------	----------

3 Stainless steel [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0621

Practical tool for the wheel nut caps

Item designation	Vehicle	Part no.
------------------	---------	----------

4 Wheel nut cap remover [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0631



Stainless steel rear wheel hub caps



Bringing up the rear in style: the stainless steel rear wheel hub caps round off the dynamic design of your Actros, Antos or Arocs with a striking detail.

Material	High-grade stainless steel
Fitting	For 22.5" rear axle
Product advantages	Protect against dirt; visual upgrade for vehicle, adding an individual touch

Silver-coloured, in high-sheen polished stainless steel

Item designation	Vehicle	Part no.
------------------	---------	----------

5 Stainless steel rear wheel hub cap for HL 7 planetary axle (aluminium or steel rim) [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0601

6 Stainless steel rear wheel hub cap for HL 6/HL 8 hypoid axle (aluminium rim) [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0602



Full wheel cover "Standard"



A real eye-catcher: full wheel cover to protect steel rim. Simple and quick to fit. For front and rear axle. Available in three sizes.

Material	Stainless steel, high-sheen polished
Fitting	Simple attachment using snap ring on rim edge
Scope of delivery	Mounting materials and screwdriver included
Note	Fitting only permissible in conjunction with valve extension: B6 752 0622, B6 752 0623, B6 752 0624

Item designation	Vehicle	Part no.
------------------	---------	----------

Full wheel cover front axle [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0607
44.45 cm (17.5")

Full wheel cover rear axle [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0608
44.45 cm (17.5")

Full wheel cover front axle [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0605
49.53 cm (19.5")

Full wheel cover rear axle [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0606
49.53 cm (19.5")

Full wheel cover front axle [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0603
57.15 cm (22.5")

7 Full wheel cover rear axle [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 752 0604
57.15 cm (22.5")

1 **NEW**

Valve extension

Simple, practical and safe: valve extension allows tyre pressure checks without need to remove wheel covers. Multilayer design for enhanced safety. Simple to use. Available in three lengths.



Item designation	Vehicle	Part no.
1 Valve extension 75 mm	Ac1 Ac2 Ac3 Ac4 Ar	B6 752 0622
Valve extension 145 mm	Ac1 Ac2 Ac3 Ac4 Ar	B6 752 0623
Valve extension 185 mm	Ac1 Ac2 Ac3 Ac4 Ar	B6 752 0624

2

"Speedline" light-alloy wheel

Good looks and enhanced profitability: the "Speedline" light-alloy wheel weighs around 40% less and helps reduce brake wear.

Product advantages Increased payload; reduced brake wear as a result of high thermal conductivity and optimum ventilation

Item designation	Vehicle	Part no.
2 "Speedline" light-alloy wheel, 57.15 cm (22.5")x9.00"	Ac1 Ac2 Ac3 Ac4 An Ar	B6 601 0007
"Speedline" light-alloy wheel, 57.15 cm (22.5")x8.25"	Ac1 Ac2 Ac3 Ac4 An Ar	B6 601 0008

Rotation chains



Always a tyre length ahead: rotation chains for snowy winter days. A traction aid which can be selected while you're on the move.

Function Rotation chains are connected to the drive axle and to the vehicle's compressed air system. Flip the switch in the cab, and a swivel arm presses the chain wheels against the inner sidewall of the tyre on the drive axle

Item designation	Vehicle	Part no.
Rotation chain, from 16 t leaf suspension for 4x2, 4x4	Ac1 Ac2 Ac3	B6 758 0907
Rotation chain, from 18 t air-sprung for 4x2, 6x2, 6x2/4, 295/80, 315/70 or 315/80 R 22.5	Ac1 Ac2 Ac3	B6 758 0930
Rotation chain, from 18 t air-sprung for 4x2, 6x2, 6x2/4, 275/70, 285/60 or 315/60 R 22.5	Ac1 Ac2 Ac3	B6 758 0931
Rotation chain, from 6.5 t air-sprung for 6x2, 315/70 R 22.5	Ac1 Ac2 Ac3	B6 758 0941
Rotation chain, air-sprung for 4x2, 275/70 or from 315/60 R 22.5	Ac1 Ac2 Ac3	B6 758 0942
Rotation chain, leaf suspension for 4x2, 4x4, 315/70 R 22.5	Ac1 Ac2 Ac3	B6 758 0946

Replacement chain wheels

Item designation	Vehicle	Part no.
Chain wheel, 195 mm	Ac1 Ac2 Ac3	B6 758 0901
Chain wheel, 160 mm	Ac1 Ac2 Ac3	B6 758 0903



Wheel couplings

Coupling and uncoupling with ease: Mercedes-Benz offers a wide range of standard fifth wheel couplings, as well as low-maintenance couplings that do not require manual lubrication.

Robust 2" lightweight fifth wheel coupling, standard, JSK37C, manual lubrication or low-maintenance

Height	150 mm
Fifth wheel load	20 t
Max. total traction weight	65 t
Quality features	Robust design; shock-absorbent rubber mounting; long pull handle; manual lubrication or low-maintenance

Note Suitable for 6x2 and 6x4 vehicles for long-distance transport, for heavy-duty operations on poor roads and on construction sites; may only be used with mounting plate

Item designation	Vehicle	Part no.
------------------	---------	----------

2" lightweight fifth wheel coupling, standard, JSK37C, manual lubrication	Ac1 Ac2 Ac3 Ac4 An Ar	B6 789 3703
---	---	-------------

2" lightweight fifth wheel coupling, standard, JSK37C, low-maintenance	Ac1 Ac2 Ac3 Ac4 An Ar	B6 789 3710
--	---	-------------

Weight-optimised 2" lightweight fifth wheel coupling, standard, JSK42, manual lubrication or low-maintenance

Height	150 mm
Fifth wheel load	20 t
Max. total traction weight	65 t
Quality features	Saves both weight (approx. 50 - 60 kg) and costs, as no mounting plate required; one-handed operation and long pull handle; manual lubrication or low-maintenance

Note Suitable for 4x2 vehicles in long-distance and short-radius distribution operations

Item designation	Vehicle	Part no.
------------------	---------	----------

2" lightweight fifth wheel coupling, standard, JSK42, manual lubrication	Ac1 Ac2 Ac3 Ac4 An Ar	B6 789 3742
--	---	-------------

2" lightweight fifth wheel coupling, standard, JSK42, low-maintenance	Ac1 Ac2 Ac3 Ac4 An Ar	B6 789 3744
---	---	-------------




LubeTronic lubricant dispenser

The LubeTronic lubricant dispenser eliminates the need for manual lubrication of the fifth-wheel coupling. Average service life 3 years, assuming annual mileage of 100,000 km. Retrofitting possible for all low-maintenance couplings.

Temperature range	-20°C to +70°C
Product advantages	Environmentally compatible and fuel-efficient thanks to electronic metering and fill-level monitoring

Item designation	Vehicle	Part no.
LubeTronic lubricant dispenser	Ac1 Ac2 Ac3 Ac4 An Ar	B6 789 0101



Lockable fuel filler cap

Perfect protection: the lockable fuel filler cap makes life more difficult for fuel thieves. Easy to use thanks to single-key system for the fuel tank.

Scope of delivery	AdBlue® fuel filler cap is supplied with two colour-coded keys
Note	Diesel fuel filler cap is supplied without a lock cylinder. Cylinder with key must be ordered separately – either with vehicle locking system or with any desired locking system. The alternatives shown below are available

Item designation	Vehicle	Part no.
1 Lockable fuel filler cap for AdBlue®	Ac3 Ac4 An Ar	A 000 470 4405
2 Lockable fuel filler cap for diesel	Ac1 Ac2 Ac3	A 000 470 5005
2 Lockable fuel filler cap for diesel	Ac4 An Ar	A 000 470 5405

Lock cylinders for lockable fuel filler cap

Item designation	Vehicle	Part no.
Lock cylinder with vehicle locking system	Ac3 Ac4 An Ar	A 000 760 3605
Lock cylinder with different locking system	Ac3 Ac4 An Ar	A 000 760 4305

Fluorescent jacket



Unmissable: the fluorescent jacket, a legal requirement in some countries, features reflective stripes and a luminous colour to help you stay safe. Whether in daylight or after dark – when you're working outside the vehicle other road users will be able to see you from afar.

Item designation	Vehicle	Part no.
Fluorescent jacket (Code S8E)	Ac1 Ac2 Ac3 Ac4 An Ar	A 000 583 0461

Warning light



See and be seen: the warning light, a legal requirement in some countries, helps secure the scene of an accident and protect broken-down vehicles.

Function	The amber flashing light helps safeguard the hazardous location, while the white continuous light can be used to work on the vehicle in darkness	
-----------------	--	--

Item designation	Vehicle	Part no.
Warning light (Code S8D)	Ac1 Ac2 Ac3 Ac4 An Ar	A 628 583 0153

Mobile LED sequential flash set



Whether it's a breakdown or an accident, the LED sequential flash set alerts following traffic in good time to the scene of the incident and guides it safely past. The five bright LED light elements can be set up in next to no time. And thanks to the sequential flashing light signals, the risk of not being seen despite fluorescent jacket and warning triangle is significantly reduced.

Technical data	Flashing frequency 60 flashes/minute, operating voltage 10 – 30 volts, rechargeable via vehicle's electrical system using 2-pin automotive connector (connector for cigarette lighter)
-----------------------	--

Scope of delivery	5 LED light elements in a combined transport/charging case with charging cable
--------------------------	--

Item designation	Vehicle	Part no.
Mobile LED sequential flash set	Ac1 Ac2 Ac3 Ac4 An Ar	B6 653 0015



Water canister



Fresh water for a fresh feeling on board: with the water canister you can stow water safely away in the stowage locker.

Material	Food-grade polyethylene
-----------------	-------------------------

Capacity	Approx. 12l – with wide neck (allowing inspection of contents)
-----------------	--

Dimensions	(LxWxH) 410x250x120 mm
-------------------	------------------------

Fitting	Sheet steel mount is screwed to inner wall of side stowage compartment
----------------	--

Scope of delivery	Incl. extension hose
--------------------------	----------------------

Item designation	Vehicle	Part no.
Water canister	Ac2 Ac3	B6 626 0100



Interior.

When you spend a lot of time on the road, you don't want to give up your home comforts: Mercedes-Benz Genuine Accessories for the interior combine impressive functionality with the living and sleeping comfort you look for as a driver. From the swivel table to the coffee maker and the mattress, we offer you everything you need to create a comfortable working and living environment in your truck. What more could you wish for?



TopFit Set

Get off to a top-fit start: The TopFit Set provides an easy way of keeping fit in your cab. For better performance at the wheel and a stronger, healthy body. Work to reduce problems in neck, shoulder and back area and to protect yourself from such complaints. The TopFit Set includes everything you need for a series of targeted exercises on all important areas of muscle.

Scope of delivery Handy stowage bag, TopFit Board, various expanders incl. handles

Note No assembly necessary - simply attach the expanders to the existing eyelets in the cab or to the TopFit Board, where your weight provides the necessary stability.

Item designation	Vehicle	Part no.
TopFit Set	Ac4	B6 626 0350

[back to contents](#)



Seat base coverings

Sitting comfortably: anthracite-coloured seat base coverings protect the driver from the cold in winter and enhance the look of the interior. Precision fit.

Velour seat base covering with black cord edging

With embroidered Mercedes star.

Material	High-quality pearl velour
Colour	Anthracite/black
Fitting	8 Velcro strips for attaching to seat base - easy to fit and remove
Note	Not for folding seat or in conjunction with Single Cab co-driver's seat; identical for base of driver's and co-driver's seat

Item designation	Vehicle	Part no.
1 Without aperture for level control	Ac1 Ac2 Ac3	B6 768 1217
1 With aperture for level control	Ac1 Ac2 Ac3	B6 768 1224

Velour seat base covering with brown leather edging

Edged in brown leather with double lap seams.

Material	High-quality pearl velour
Colour	Anthracite/brown
Fitting	Simple to fit and remove
Note	Identical for base of driver's and co-driver's seat

Item designation	Vehicle	Part no.
2 Without aperture for level control	Ac1 Ac2 Ac3	B6 768 1221
2 With aperture for level control	Ac1 Ac2 Ac3	B6 768 1223

Seat base covering with black nubuck edging

With embroidered Mercedes star. Edged in black nubuck with almond beige topstitching.

Material	High-quality pearl velour
Colour	Anthracite/almond beige
Fitting	8 Velcro strips for attaching to seat base - easy to fit and remove
Note	Identical for base of driver's and co-driver's seat

Item designation	Vehicle	Part no.
3 Seat base covering	Ac4 An Ar	B6 768 1250

[back to contents](#)

Leather steering wheels

Sporty or elegant: High-quality 4-spoke leather steering wheels in a combination of materials that convey a very special driving experience. Made out of high-quality hide for excellent grip.



Aluminium/leather and wood/leather steering wheel

With aluminium or wood trim.

Material	Cowhide, coated plastic trim
Diameter	450 mm
Product advantages	Perforated leather in grip area for a firm grip; natural material balances out extreme heat and cold and ensures a comfortable temperature for the hands

Note Impact absorber from existing steering wheel must be used; only suitable for vehicles fitted ex factory with 450 mm steering wheel

Item designation	Vehicle	Part no.
1 Aluminium/leather steering wheel	Ac4 An	B6 626 0337
2 Wood/leather steering wheel	Ac4 An	B6 626 0341



Burr walnut/leather and aluminium/leather steering wheel

Perfectly complementing the fine wood-look and aluminium-look trim. Non-slip cowhide.

Material	Cowhide, burr walnut-look or aluminium-look trim
Diameter	450 mm
Product advantages	Firm grip; with perforation-resistant, cross-stitched seam

Note Impact absorber from existing steering wheel must be used, existing airbag can be retained; only suitable for vehicles with 450 mm steering wheel diameter ex factory

Item designation	Vehicle	Part no.
3 Burr walnut-look/leather steering wheel	Ac2 Ac3	B6 626 0283
4 Aluminium-look/leather steering wheel	Ac2 Ac3	B6 626 0295



Footrest cushion

Put your feet up – perfect in conjunction with the SoloStar Concept. The footrest cushion is tailored to fit the stowage shelf in the centre console.

Material	Man-made leather, washable
Product advantages	Soft cushion, ideal for putting your feet up at the end of the working day or during breaks

Item designation	Vehicle	Part no.
Footrest cushion	Ac4	B6 626 0332





Instrument support trim, fine wood

Cab in Home-Line-Design. From the instrument panel and the centre air vents to the firm-grip wood/leather steering wheel, the burr walnut-look trim creates a warm, cosy and refined feel.

Item designation	Vehicle	Part no.
1 Speedometer section without headlamp range adjustment	Ac2 Ac3	B6 667 2239
Speedometer section with headlamp range adjustment	Ac2 Ac3	B6 667 2249
2 Centre air vent with compartment	Ac2 Ac3	B6 667 2251
Centre air vent with switches	Ac2 Ac3	B6 667 2253



Instrument support trim, aluminium-look

Elegant coolness in brushed aluminium-look. For a tasteful, contemporary and motivational feel, the moment you step into the cab. Aluminium-look trim for the instrument support adds an individual touch to your cockpit.

Item designation	Vehicle	Part no.
3 Speedometer section without headlamp range adjustment	Ac2 Ac3	B6 667 2238
4 Centre air vent with compartment	Ac2 Ac3	B6 667 2250
Centre air vent with switches	Ac2 Ac3	B6 667 2252



Centre stowage tray with galvanised edge

Stowage tray for the recess in the instrument support.

Fitting	Simple attachment, quick installation time
Note	This product from the exclusive Actros Limited Edition Black Liner and White Liner is also available as an accessory for your Actros, without leather mat, the existing rubber mat can still be used

Item designation	Vehicle	Part no.
Centre stowage tray with galvanised edge	Ac2 Ac3	B6 667 2039



Stowage tray

Flexible and practical: the removable stowage tray is simply slotted into the stowage compartments under the bed and slides individually. Ideal for tidily stowing away smaller travel accessories.

Item designation	Vehicle	Part no.
Stowage tray (retrofit Code D7I)	Ac4	A 960 843 0007 9051



CD box

Well stowed away: CD box with space for 6 or 12 CDs. Protects the CDs from sunlight, dust and heat. Compartments open individually at the touch of a button.

Fitting	Fitted above the windscreen, within reach of the driver
----------------	---

CD box with 12 compartments and with option of installation kit

Item designation	Vehicle	Part no.
5 CD box, 12 compartments	Ac2 Ac3	B6 626 0297
CD box, 12 compartments with installation kit	Ac2 Ac3	B6 626 0299

CD box with 6 compartments

Item designation	Vehicle	Part no.
CD box, 6 compartments (retrofit Code Y1V)	Ac4 An Ar	A 960 846 1269 9051



Bedding sets

Relaxing comfort meets attractive design.

Material	Duvet and pillow with polyester/cotton blend filling; covers in soft, high-quality fabric, washable at up to 60° C
-----------------	--

"Pause" bedding set in highly flame-resistant materials

Product advantages	High rub-resistance, breathable, wrinkle-resistant, dimensionally stable, fade-resistant, free of harmful substances according to Oeko-Tex Standard 100, suitable for allergy sufferers
---------------------------	---

Item designation	Vehicle	Part no.
1 Bedding set, 2-piece	Ac1 Ac2 Ac3 Ac4	B6 787 3695

Bedding set with duvet and pillow*, 4-piece	Ac4	B6 787 3700
---	---------------------	-------------

Duvet cover, 135x200 cm	Ac1 Ac2 Ac3 Ac4	B6 787 3693
-------------------------	---	-------------

Pillowcase, 80x80 cm	Ac1 Ac2 Ac3 Ac4	B6 787 3694
----------------------	---	-------------

Duvet* and pillow for bedding set	Ac4	B6 787 3701
-----------------------------------	---------------------	-------------

* Duvet and pillow not flame resistant

Chequerboard bedding set

Item designation	Vehicle	Part no.
2 Bedding set, 4-piece	Ac1 Ac2 Ac3	B6 787 2424

Duvet cover, 135x200 cm	Ac1 Ac2 Ac3	B6 787 2443
-------------------------	---	-------------

Pillowcase, 60 x 60 cm	Ac1 Ac2 Ac3	B6 787 2444
------------------------	---	-------------

Check bedding set

Item designation	Vehicle	Part no.
3 Bedding set, 4-piece	Ac1 Ac2 Ac3	B6 787 2130

Duvet cover, 135x200 cm	Ac1 Ac2 Ac3	B6 787 2055
-------------------------	---	-------------

Pillowcase, 60 x 60 cm	Ac1 Ac2 Ac3	B6 787 2054
------------------------	---	-------------

Pillow and duvet for Chequerboard and Check bedding set

Item designation	Vehicle	Part no.
Pillow, 60 x 60 cm	Ac1 Ac2 Ac3	B6 787 2058

Duvet, 135x200 cm	Ac1 Ac2 Ac3	B6 787 2059
-------------------	---	-------------

Bolster and neck pillow

Ideal for a quick nap and for relaxing while reading or watching television. Covers coordinate with bedding design.

Material	100% cotton, washable cover
-----------------	-----------------------------

Item designation	Vehicle	Part no.
4 Bolster for Check bedding set	Ac1 Ac2 Ac3	B6 787 2056

4 Neck pillow for Check bedding set	Ac1 Ac2 Ac3	B6 787 2057
-------------------------------------	---	-------------

5 Bolster for Chequerboard bedding set	Ac1 Ac2 Ac3	B6 787 2422
--	---	-------------

5 Neck pillow for Chequerboard bedding set	Ac1 Ac2 Ac3	B6 787 2423
--	---	-------------

Fitted sheets/Mattress protector

Excellent sleeping comfort: fitted sheets with elasticated corners for a perfect fit.



Fitted sheets in highly flame-resistant material

Item designation	Vehicle	Part no.
6 Upper bunk, narrow, 60 x 200 cm	Ac4	B6 787 3696
6 Upper/lower bunk, 75 x 200 cm	Ac4	B6 787 3697
6 Upper bunk, narrow, 60 x 220 cm	Ac4	B6 787 3698
6 Upper/lower bunk, 75 x 220 cm	Ac4	B6 787 3699

Fitted sheet in pure, high-quality cotton jersey

Item designation	Vehicle	Part no.
6 Lower bunk, 60 x 195 cm	Ac2 Ac3	B6 787 2050
6 Lower bunk, 50 x 202 cm	Ac2 Ac3	B6 787 2051
6 Upper bunk, 80 x 202 cm	Ac2 Ac3	B6 787 2052
6 Lower bunk, 60 x 202.5 cm	Ac2 Ac3	B6 787 2053

Mattress protector

The soft, fleecy mattress protector protects the mattress, traps moisture and enhances comfort.

Material	100% cotton, washable at up to 95° C
-----------------	--------------------------------------

Dimensions	Available in sizes 60 x 200 cm and 80 x 200 cm
-------------------	--

Item designation	Vehicle	Part no.
7 Mattress protector, 60 x 200 cm	Ac2 Ac3	B6 787 2118

Mattress protector, 80 x 200 cm	Ac2 Ac3	B6 787 2119
---------------------------------	---	-------------

"PremiumComfort" mattress



A healthy, relaxing sleep: the new multi-zone cold-foam mattress provides an optimum bed climate along with superb comfort when sleeping or resting. The tubular system ensures active ventilation, while the different firmness zones provide optimum support for the different parts of the body. Designed to neutralise odours and suitable for allergy sufferers.

Dimensions	Mattress thickness approx. 11 cm, 75 cm wide and 200 cm or 220 cm long
-------------------	--

Scope of delivery	With hardwearing quilted cover – removable and washable, double-layer knitted fabric, quilted, wadded, breathable, hypoallergenic, odour-inhibiting
--------------------------	---

Item designation	Vehicle	Part no.
8 For cab width 2.5 m (Code D3N)	Ac4	A 000 970 8749

8 For cab width 2.3 m (Code D3N)	Ac4	A 000 970 9549
----------------------------------	---------------------	----------------

[back to contents](#)

Kettle



Relax and enjoy your break – you could almost be in your own kitchen at home. This handy kettle, specially designed for use on board, allows you to boil water for a pot of tea or a mug of instant soup in next to no time.

Operating voltage	24 V
Capacity	Approx. 0.75 l
Dimensions	(WxHxD) 190x205x125 mm
Scope of delivery	Incl. mounting kit for wall or counter, with power plug
Product advantages	Automatically switches off when boiling point is reached; with power plug for safe electrical connection; boil-dry protection
Note	In the Actros 4 in conjunction with Code E3R, 24 V/25 A power socket

Item designation	Vehicle	Part no.
Kettle	Ac2 Ac3 Ac4 An Ar	B6 626 0312

“Classic” coffee maker



Fresh coffee – prepared yourself. The 24 V coffee maker with high-grade stainless steel insulated jug provides you with hot coffee in an instant. Comes fitted with power plug for safe, reliable power consumption.

Operating voltage	24 V
Capacity	8 cups
Product advantages	Short circuit-proof despite high power consumption, removable water tank, automatic cut-off after brewing
Note	In the Actros 4 in conjunction with Code E3R, 24 V/25 A power socket

Item designation	Vehicle	Part no.
“Classic” coffee maker	Ac2 Ac3 Ac4 An Ar	B6 626 0111

“Comfort” coffee maker



With high-grade stainless steel insulated jug, removable water tank, LED indicators and its own power plug for safe power consumption. Designed to take standard paper filters. Supplied with metal mount for securing in place.

Operating voltage	24 V
Capacity	6 cups
Product advantages	Short circuit-proof despite high power consumption, removable filter with anti-drip protection, with latch safety strap for jug
Note	In the Actros 4 in conjunction with Code E3R, 24 V/25 A power socket

Item designation	Vehicle	Part no.
“Comfort” coffee maker	Ac2 Ac3 Ac4 An Ar	B6 626 0313

Coolbox CDF-35



Refreshingly spacious: coolbox with removable lid and energy-saving setting. Low power consumption, approx. 45 W.

Operating voltage	12/24 V
Capacity	31 l
Temperature range	-15° C to +5° C
Weight	17 kg

Item designation	Vehicle	Part no.
CDF-35 coolbox	Ac1 Ac2 Ac3	B6 667 2030

On-board coolbox



Cooling and heating in one: thermoelectric coolbox with removable lid and energy-saving setting.

Operating voltage	12/24 V
Capacity	21 l
Temperature range	Cooling 1° C to 15° C, heating 50° C to 65° C
Weight	5 kg

Item designation	Vehicle	Part no.
On-board coolbox	Ac1 Ac2 Ac3 Ac4 An Ar	B6 667 2040

SoloStar collapsible box




For universal use: The collapsible box can be used e.g. to keep drinks cool and hot food warm. Makes ideal use of space available underneath co-driver's seat.

Material	Polypropylene
Dimensions	(WxLxH) 300x500x200 mm
Product advantages	Hardwearing, washable, dishwasher-proof, low weight, foldable, good insulating function for transporting fresh foods, comfortable strap for carrying purposes

Note	Box with insulating function, designed to fit the space underneath the co-driver's seat on SoloStar cab concept; can also be used in any other suitably sized stowage compartments in the vehicle
-------------	---

Item designation	Vehicle	Part no.
SoloStar collapsible box	Ac1 Ac2 Ac3 Ac4 An Ar	B6 626 0110



Swivel table

Practical and space-saving: the height-adjustable swivel table is ideal for working on your laptop or eating, or as a practical stowage area.

Material	Table surface trimmed with man-made leather
Load capacity	Max. 2.5 kg
Fitting	Mounted in drinks holder and on centre console
Product advantages	Space-saving; tailored to geometry of centre console; height-adjustable; table is easy to swivel and to lock in place

Item designation	Vehicle	Part no.
Swivel table	Ac4	B6 626 0331



LED reading lamp

See things in a good light: LED reading lamp with flexibly adjustable gooseneck design.

Operating voltage	24 V
Dimensions	Length approx. 400 mm
Scope of delivery	Incl. bulb set, supplied with open cable end for individual installation
Product advantages	Low power consumption (24 V/3 W), long-life

Item designation	Vehicle	Part no.
LED reading lamp	Ac1 Ac2 Ac3 Ac4 An Ar	B6 682 8805



Folding table

Easy to open out and fold away: the folding table for the co-driver's side is ideal for enjoying something to eat or working during breaks. It has a hardwearing, washable surface and stows away quickly into one of the stowage compartments when not in use.

Scope of delivery	Without installation kit
Note	The folding table can be retrofitted in all Actros 2 and Actros 3 vehicles

Item designation	Vehicle	Part no.
Folding table (Code FF3)	Ac2 Ac3	A 943 810 0166

The following parts are required for installation of the folding table:

Item designation	Vehicle	Part no.
Screw (folding table)	Ac2 Ac3	N 000 000 002 439
Folding table holder, left	Ac2 Ac3	A 943 816 0014 7D53
Trim for holder, left	Ac2 Ac3	A 943 816 0083 7D53
Folding table holder, right	Ac2 Ac3	A 943 816 0114 7D53
Trim for holder, right	Ac2 Ac3	A 943 816 0183 7D53



Digital clock

Always on time: the digital clock with intermittent alarm tone (volume approx. 75 dB) keeps the timing on track when you're out on the road.

Fitting	Simple installation behind the driver's seat by removing the cover and slotting neatly into place; will also fit any spare space in cockpit switch panel or in the stowage unit above the windscreen
Dimensions	Length approx. 100 mm
Scope of delivery	Includes 2 standard AA batteries
Operating temperature	-10° C to +50° C

Item designation	Vehicle	Part no.
Digital clock	Ac4	A 000 827 7870

Care set

Keeping things shining and visibility good: the care set comprises a wide range of care products to help you look after your vehicle – outside and inside.



Scope of delivery Cabin care lotion, insect remover, interior glass cleaner, quick cleaner, polishing cloth, bag

Product advantages Care products have been specially developed for Mercedes-Benz vehicles and tested for material as well as environmental compatibility

Item designation	Vehicle	Part no.
1 Care set	Ac1 Ac2 Ac3 Ac4 An Ar	B6 684 8618
2 Chrome care	Ac1 Ac2 Ac3 Ac4 An Ar	A 000 986 4374

2



Hand-held vacuum cleaner

A clean sweep: the Vacuboy vacuum cleaner has the cab looking shipshape in next to no time. The 3-stage turbine delivers impressive suction, yet power consumption is low. Flexible use.



Operating voltage 24/220 V

Scope of delivery Hand-held vacuum cleaner, fabric dustbag, micro motor protection filter, upholstery nozzle, crevice tool, brush attachment, 24 V mains cable, 220 V mains cable

Item designation	Vehicle	Part no.
Hand-held vacuum cleaner	Ac1 Ac2 Ac3 Ac4 An Ar	B6 683 0011

Spectacles case, universal

Always in view: spectacles case with large opening, providing simple, safe and quick access to spectacles or sunglasses.



Material Man-made leather, with embossed Mercedes star

Colour Black

Fitting Simple Velcro attachment

Product advantages Wide opening, flexible positioning

Item designation	Vehicle	Part no.
Spectacles case, universal	Ac1 Ac2 Ac3 Ac4 An Ar	B6 626 0275

Key ring and key case

Practical and convenient: the key ring has been specially designed for your truck's multifunction key and is very simple to attach. Further keys may also be attached to the key ring. The key case with spring clip protects the display of the multifunction key from scratching.



Key ring

Material Made out of felt, with Mercedes-Benz logo

Dimensions (WxLxH) 150x35x5 mm

Item designation	Vehicle	Part no.
3 Key ring	Ac1 Ac2 Ac3 Ac4 An Ar	B6 667 2041

Key case

Material 100 % polyester, with Velcro fastening

Dimensions (WxLxH) 140x70x40 mm

Item designation	Vehicle	Part no.
4 Key case	Ac4	B6 667 2042

Additional ashtray

Lighting-up time: removable additional ashtray with hinged lid. For the drinks holder on the driver or co-driver's side.

Material	Polyamide	
Item designation	Vehicle	Part no.
1 Additional ashtray	Ac1 Ac2 Ac3	B6 626 0272
2 Additional ashtray	Ac4 An Ar	A 960 810 0430 9051




Laundry bag for stowage compartment above windscreen

Particularly robust: the laundry bag has a special compartment for your washbag and a removable partition. The practical front flaps mean that items can be added or removed without taking the bag out of the stowage compartment. Robust design with reinforced base.

Material	Polyester	
Dimensions	(W x L x H) 64 x 24 x 26 cm (B6 787 2173); (W x L x H) 44 x 37 x 30 cm (B6 787 3691)	
Item designation	Vehicle	Part no.
3 Laundry bag	Ac2 Ac3	B6 787 2173
4 Laundry bag for BigSpace/GigaSpace cab	Ac4	B6 787 3691





Stowage bag for stowage compartment

Flexible design: insulated food bag with adjustable partition. Fits in the stowage compartment behind the driver. With zip fastening.

Material	Polyester	
Dimensions	(W x L x H) 50 x 27 x 33 cm	
Item designation	Vehicle	Part no.
Stowage bag for stowage compartment	Ac2 Ac3	B6 787 2171




Stowage bag for compartment below bunk

The perfect accessory to make optimum use of the large central stowage compartment below the bunk. Zip opening at top for easy access, plus other practical details. Contemporary design in robust, easy-clean material.

Material	Polyester	
Dimensions	(W x L x H) 54 x 34 x 19 cm	
Item designation	Vehicle	Part no.
Bag for stowage compartment	Ac4	B6 787 3692






Stowage bag for drawer below bed

Clothes and shoes, stowed away within easy reach: large stowage bag with separate shoe compartment. All compartments with zip closure.


Note	Only for Actros from 2003	
Material	Polyester	
Dimensions	(W x L x H) 65 x 40 x 19 cm	
Item designation	Vehicle	Part no.
Stowage bag for drawer below bed	Ac2 Ac3	B6 787 2172



Stowage locker mats

So that everything remains as good as new: the protective mats for the stowage lockers in the Actros 4 help hold items in place and prevent surfaces from being scratched. The mats are precision-tailored to the centre modules or stowage lockers.

Material	Self-adhesive rubber/fabric composite	
Product advantages	Prevents stowage lockers from being scratched; additional stowage option; non-slip surface prevents items placed on mats from sliding off	
Item designation	Vehicle	Part no.
1 For centre module, 1+1 cab, F2H	Ac4	B6 626 0334
For centre module, F2G	Ac4	B6 626 0335



Towel holder

Clean and dry: the towel holder is a practical, professional solution for anyone who spends a long time on the road. Designed for drying bath towels and hand towels.

Fitting	Simple to fit in roof area	
Item designation	Vehicle	Part no.
Towel holder	Ac2 Ac3	B6 667 2033



Roof-mounted auxiliary air conditioning

Keep a cool head on hot days: the roof-mounted auxiliary air conditioning unit delivers a cooling output of up to 850 W. The additional air dehumidifier function also helps ensure an optimum interior climate.

Cooling capacity	Max. 850 W	
Fitting	Roof-mounted auxiliary air conditioning unit is fitted in place of the roof hatch	
Scope of delivery	Incl. remote control	
Product advantages	Lighter (approx. 21 kg) than factory-fitted auxiliary air conditioning unit; low installation height (bear in mind overall vehicle height); upper shell can be painted after fitting	
Note	For BigSpace cab and StreamSpace cab, in conjunction with Code E9G	



Item designation	Vehicle	Part no.
2 Roof-mounted auxiliary air conditioning	Ac3 Ac4 Ar	B6 732 0054
Installation kit	Ac3	B6 732 0057
Installation kit, auxiliary air conditioning	Ac4 Ar	B6 732 0055
Template, auxiliary air conditioning for StreamSpace cab	Ac4 Ar	B6 732 0056



Stainless steel grab handles

Grab a new look: stainless steel grab handles for A-pillar and B-pillar. A visual upgrade for the cab entrance.

Material	High-sheen polished stainless steel, diameter 25 mm	
Fitting	Simple to fit, stainless steel grab handles replace the original grab handles	
Item designation	Vehicle	Part no.
3 Stainless steel grab handles, driver's side	Ac1 Ac2 Ac3	B6 752 0160
Stainless steel grab handles, co-driver's side	Ac1 Ac2 Ac3	B6 752 0161

Seat covers, accessory design


Ideal protection and superb comfort: the seat covers protect the seats against wear, damage and dirt. They also offer outstanding comfort. Simple, non-slip fit.

Fitting	Zip fastening for easy fitting
----------------	--------------------------------



Microfibre velour, beige/black

Item designation	Vehicle	Part no.
1 Grammer suspension seat, front left (D1B, D1C)	Ac4 An Ar	B6 640 1265
1 Grammer suspension seat, front right (D1P)	Ac4 An Ar	B6 640 1266
1 Isri regular co-driver's seat, front right (D1N)	Ac4 An Ar	B6 640 1267
1 Standard fixed driver's seat, front left (D1A)	Ac4 An Ar	B6 640 1268
1 Grammer centre seat (D1Z)	Ac4 An Ar	B6 640 1269



Microfibre velour, grey/black

Item designation	Vehicle	Part no.
2 Grammer suspension seat, front left (D1B, D1C)	Ac4 An Ar	B6 640 1260
2 Grammer suspension seat, front right (D1P)	Ac4 An Ar	B6 640 1261
2 Isri regular co-driver's seat, front right (D1N)	Ac4 An Ar	B6 640 1262
2 Standard fixed driver's seat, front left (D1A)	Ac4 An Ar	B6 640 1263
2 Grammer centre seat (D1Z)	Ac4 An Ar	B6 640 1264
2 Grammer co-driver's suspension seat	Ac2	B6 640 1247
2 Isri co-driver's suspension seat	Ac2	B6 640 1248
2 Regular/folding co-driver's seat, front right (SF0/SF1)	Ac3	B6 640 1249



Microfibre velour, blue/grey

Item designation	Vehicle	Part no.
3 Grammer driver's suspension seat	Ac2	B6 640 1301
3 Grammer co-driver's suspension seat	Ac2	B6 640 1302
3 Isri driver's suspension seat	Ac2	B6 640 1307
3 Isri co-driver's suspension seat	Ac2	B6 640 1308
3 Regular/folding co-driver's seat	Ac2	B6 640 1313
3 Regular co-driver's seat, RHD	Ac2	B6 640 1317
3 Grammer driver's suspension seat	Ac3	B6 640 1321
3 Grammer co-driver's suspension seat	Ac3	B6 640 1322
3 Isri driver's suspension seat	Ac3	B6 640 1327




Microfibre velour, grey/grey

Item designation	Vehicle	Part no.
4 Grammer driver's suspension seat	Ac2	B6 640 1305
4 Grammer co-driver's suspension seat	Ac2	B6 640 1306
4 Isri driver's suspension seat	Ac2	B6 640 1311
4 Isri co-driver's suspension seat	Ac2	B6 640 1312
4 Regular/folding co-driver's seat	Ac2	B6 640 1315
4 Armrest	Ac2	B6 640 1316
4 Regular co-driver's seat, RHD	Ac2	B6 640 1319
4 Co-driver's centre seat	Ac2	B6 640 1320
4 Grammer driver's suspension seat	Ac3	B6 640 1325
4 Grammer co-driver's suspension seat	Ac3	B6 640 1326
4 Isri driver's suspension seat	Ac3	B6 640 1331
4 Isri co-driver's suspension seat	Ac3	B6 640 1332

[back to contents](#)

Microfibre velour, red/grey




Item designation	Vehicle	Part no.
1 Grammer driver's suspension seat	Ac2	B6 640 1303
1 Grammer co-driver's suspension seat	Ac2	B6 640 1304
1 Isri driver's suspension seat	Ac2	B6 640 1309
1 Isri co-driver's suspension seat	Ac2	B6 640 1310
1 Regular/folding seat	Ac2	B6 640 1314
1 Co-driver's seat, RHD	Ac2	B6 640 1318
1 Grammer driver's suspension seat	Ac3	B6 640 1323
1 Grammer co-driver's suspension seat	Ac3	B6 640 1324
1 Isri driver's suspension seat	Ac3	B6 640 1329
1 Isri co-driver's suspension seat	Ac3	B6 640 1330

Breathable

Seat covers specially designed for ventilated seats: for optimum climate control.

Breathable, beige/black



Item designation	Vehicle	Part no.
2 Grammer ventilated comfort air-sprung suspension seat, front left (D1D)	Ac4 An Ar	B6 640 1277
2 Grammer ventilated comfort air-sprung suspension seat, front right (D1Q)	Ac4 An Ar	B6 640 1278

Breathable, grey/black




Item designation	Vehicle	Part no.
3 Grammer ventilated comfort air-sprung suspension seat, front left (D1D)	Ac4 An Ar	B6 640 1275
3 Grammer ventilated comfort air-sprung suspension seat, front right (D1Q)	Ac4 An Ar	B6 640 1276

Man-made leather

Exclusive, tailored seat covers in hardwearing man-made leather. Robust design, ideal for tough operations involving dirt, wet conditions, grease and oil.

Man-made leather, grey/black



Item designation	Vehicle	Part no.
4 Grammer suspension seat, front left (D1B, D1C)	Ac4 An Ar	B6 640 1270
4 Grammer suspension seat, front right (D1P)	Ac4 An Ar	B6 640 1271
4 Isri regular co-driver's seat, front right (D1N)	Ac4 An Ar	B6 640 1272
4 Standard fixed driver's seat, front left (D1A)	Ac4 An Ar	B6 640 1273
4 Grammer centre seat (D1Z)	Ac4 An Ar	B6 640 1274

Seat covers, standard design


Elegant, hardwearing seat covers in all standard seat colours.

5C24




Item designation	Vehicle	Part no.
5 Isri driver's seat	Ac1	B6 640 1032
5 Isri co-driver's seat	Ac1	B6 640 1033
5 Grammer driver's seat	Ac1	B6 640 1034
5 Grammer co-driver's seat	Ac1	B6 640 1035
5 Standard co-driver's seat	Ac1	B6 640 1036
5 Head restraint cover	Ac1	B6 640 1037
5 Grammer driver's seat, from 07/2000	Ac1	B6 640 1139
5 Grammer co-driver's seat, from 07/2000	Ac1	B6 640 1146
5 Isri driver's seat, from 01/2001	Ac1	B6 640 1152

Standard design, Actros 2



Item designation	Vehicle	Part no.
1 Grammer driver's suspension seat	Ac2	B6 640 1160
1 Grammer co-driver's suspension seat	Ac2	B6 640 1161
1 Isri driver's suspension seat	Ac2	B6 640 1162
1 Isri co-driver's suspension seat	Ac2	B6 640 1163
1 Folding co-driver's seat (SF0/SF1)	Ac2	B6 640 1164
1 Regular/folding co-driver's seat, RHD (SF0/SF1)	Ac2	B6 640 1165

Brasao



Item designation	Vehicle	Part no.
2 Grammer driver's suspension seat	Ac3	B6 640 1171
2 Grammer co-driver's suspension seat	Ac3	B6 640 1172
2 Isri driver's suspension seat with integral head restraint	Ac3	B6 640 1173
2 Isri co-driver's suspension seat with integral head restraint	Ac3	B6 640 1174
2 Isri regular/folding co-driver's seat, LHD	Ac3	B6 640 1175
2 Isri regular/folding co-driver's seat, RHD	Ac3	B6 640 1176

Spyder



Item designation	Vehicle	Part no.
3 Grammer centre seat (D1Z)	An Ar	B6 640 1364
3 Isri regular/folding seat, front left (D1A)	Ac4 An Ar	B6 640 1365
3 Isri regular/folding seat, front right (D1N)	Ac4 An Ar	B6 640 1366
3 Armrest, suspension seat, black (D1B, D1C, D1P)	Ac4 An Ar	B6 640 1367
Armrest, ventilated comfort air-sprung suspension seat, black (D1D, D1Q)	Ac4 An Ar	B6 640 1368
Head restraint cover, ventilated comfort air-sprung suspension seat, black (D1D, D1Q)	Ac4 An Ar	B6 640 1369

Item designation	Vehicle	Part no.
3 Grammer suspension seat, front left (D1B)	Ac4 An Ar	B6 640 1360
3 Grammer suspension seat, front right (D1P)	Ac4 An Ar	B6 640 1361
3 Grammer ventilated comfort air-sprung suspension seat, front left (D1C, D1D)	Ac4 An Ar	B6 640 1362
3 Grammer ventilated comfort air-sprung suspension seat, front right (D1Q)	Ac4 An Ar	B6 640 1363

Skyline



Item designation	Vehicle	Part no.
4 Grammer ventilated comfort air-sprung suspension seat, front right (D1Q)	Ac4 An Ar	B6 640 1373
4 Grammer centre seat (D1Z)	An Ar	B6 640 1374
4 Isri regular/folding seat, front left (D1A)	Ac4 An Ar	B6 640 1375
4 Isri regular/folding seat, front right (D1N)	Ac4 An Ar	B6 640 1376
Armrest, ventilated comfort air-sprung suspension seat, black (D1D, D1Q)	Ac4 An Ar	B6 640 1368
Head restraint cover, ventilated comfort air-sprung suspension seat, black (D1D, D1Q)	Ac4 An Ar	B6 640 1369

Item designation	Vehicle	Part no.
4 Grammer suspension seat, front left (D1B)	Ac4 An Ar	B6 640 1370
4 Grammer suspension seat, front right (D1P)	Ac4 An Ar	B6 640 1371
4 Grammer ventilated comfort air-sprung suspension seat, front left (D1C, D1D)	Ac4 An Ar	B6 640 1372

Protective seat covers for the workshop



Perfect protection: the protective covers are simple to slip into place over the seats and can be removed again with one pull. Ideal protection for the seats during workshop visits.

Product advantages Dirt-repellent, oil-repellent and water-repellent, highly flame-resistant, easily washable, preshrunk (will not shrink when washed)

Item designation	Vehicle	Part no.
Protective seat covers for the workshop	Ac1 Ac2 Ac3 Ac4 An	B6 640 1166

Floor mats

Attractive protection: the hardwearing floor mats protect the interior from damage and dirt. The material helps create a pleasant living and working environment. The backing ensures they do not slide around. Available for all cab and seat variants in a range of materials. Easy to clean.

Note suspension = suspension seat, regular = regular seat

Rubber floor mats

1



The structured, oil-resistant rubber floor mats are designed to be placed on the driver's and co-driver's sides. They are tailored to the contours of the floor and to the size of the cab.

Product advantages High-class appeal thanks to use of good-quality and exceptionally strong structured rubber; high resistance to wear and oil; simplify the cleaning of the cab

Rubber mats for Actros 4, Antos und Arocs		
Item designation	Vehicle	Part no.
1 Rubber mat, 2.5 (F2A + F2H)	Ac4 Ar	B6 684 8625
1 Rubber mat, 2.3, double-layer (F2A + F2G + A1Z)	Ac4 An Ar	B6 684 8626
1 Rubber mat, 2.3, asymmetrical (F2B + F2C + F2E + F2G)	Ac4 An Ar	B6 684 8627
1 Rubber mat, 2.3, level floor (F2A + F2G)	Ac4 An Ar	B6 684 8628
1 Set driver's/co-driver's side, rubber mats, RHD	Ac4 An Ar	B6 684 8630

Rubber mats for Actros 3 and Actros 2

Item designation	Vehicle	Part no.
1 Driver's side, Megaspaces cab	Ac2 Ac3	B6 768 0157
1 Co-driver's side, Megaspaces cab, reclining seat	Ac2 Ac3	B6 768 0158
1 Driver's side, S-cab, M-cab, L-cab	Ac2 Ac3	B6 768 0159
1 Co-driver's side, S-cab, M-cab, L-cab, reclining seat	Ac2 Ac3	B6 768 0160

Rubber mats for Actros 3 and Actros 2


Item designation	Vehicle	Part no.
1 Co-driver's side, Megaspaces cab, regular seat	Ac2 Ac3	B6 768 0165
1 Co-driver's side, S-cab, M-cab, L-cab, folding seat	Ac2 Ac3	B6 768 0166

Rubber mats for Actros 1

Item designation	Vehicle	Part no.
1 Driver's side, rubber mat	Ac1	B6 768 0116

Rep floor mats

2



A touch of refinement for the vehicle interior: rep floor mats, precision-tailored to the cab. With Mercedes-Benz emblem.

Product advantages Non-slip backing, simplifies cleaning of the interior, suitable for steam-cleaning

Rep floor mats for Actros 4, Antos and Arocs

Item designation	Vehicle	Part no.
2 Driver's side with level floor (F2A), all cab widths	Ac4 An Ar	B6 768 1330
2 Co-driver's side, 2.5, Solo, DOZ	Ac4	B6 768 1331
2 Co-driver's side, 2.5, suspension (F2H + D1P or F2H + D1Q)	Ac4 Ar	B6 768 1332
2 Co-driver's side, 2.5, regular (F2H + D1N)	Ac4 Ar	B6 768 1333
2 Co-driver's side, 2.3, suspension (F2G + D1P or F2G + D1Q)	Ac4 An Ar	B6 768 1334
2 Co-driver's side, 2.3, regular (F2G + D1N + F2B or F2C)	Ac4 An Ar	B6 768 1335
2 Co-driver's side, 2.3, regular (F2G + D1N + F2A)	Ac4 An Ar	B6 768 1336
2 Co-driver's side, 2.3 (F2G + F2B + F2C)	Ac4 An Ar	B6 768 1337
2 Centre mat, 2.5 (F2H + F2A)	Ac4	B6 768 1345
2 Centre mat, 2.5 (F2G + F2A)	Ac4	B6 768 1347
2 Centre mat, 2.3 (F2G + F2B or F2G + F2C)	Ac4	B6 768 1348
2 Driver's side with level floor (F2A), all cab widths, RHD	Ac4 An Ar	B6 768 1350
2 Co-driver's side, 2.5, suspension (F2H + D1P or F2H + D1Q)	Ac4 Ar	B6 768 1351

[back to contents](#)

Rep floor mats for Actros 4, Antos and Arocs

Item designation	Vehicle	Part no.
2 Co-driver's side, 2.5, regular, RHD (F2H+D1N)	Ac4 Ar	B6 768 1352
2 Co-driver's side, 2.3, suspension, RHD (F2G+D1P or F2G+D1Q)	Ac4 An Ar	B6 768 1353
2 Co-driver's side, 2.3, regular, RHD (F2G+D1N)	Ac4 An Ar	B6 768 1354
2 Co-driver's side, 2.3, with tunnel, RHD (F2G+F2B or F2G+F2C)	Ac4 An Ar	B6 768 1355
2 Centre mat, 2.5, level floor, RHD (F2H+F2A)	Ac4	B6 768 1356
2 Centre mat, 2.3, RHD (F2G+F2B)	Ac4 An	B6 768 1357
2 Centre mat, 2.3, DL, RHD (F2G+A1Z)	Ac1	B6 768 1358

Rep floor mats for Actros 3 and Actros 2

Item designation	Vehicle	Part no.
2 Driver's side, Megaspaces cab	Ac2 Ac3	B6 768 3200
2 Co-driver's side, Megaspaces cab, regular	Ac2 Ac3	B6 768 3201
2 Co-driver's side, Megaspaces cab, reclining seat	Ac2 Ac3	B6 768 3202
2 Co-driver's side, Megaspaces cab, Single Cab	Ac2 Ac3	B6 768 3203
2 Centre mat, Megaspaces cab	Ac2 Ac3	B6 768 3204
2 Driver's side, S-cab, M-cab, L-cab	Ac2 Ac3	B6 768 3205
2 Co-driver's side, S-cab, M-cab, L-cab, regular	Ac2 Ac3	B6 768 3206
2 Co-driver's side, S-cab, M-cab, L-cab, reclining seat	Ac2 Ac3	B6 768 3207
2 Co-driver's side, S-cab, M-cab, L-cab, Single Cab	Ac2 Ac3	B6 768 3208

Rips-Fußmatten für Actros 1

Artikelbezeichnung	Fahrzeug	Teilenummer
3 Driver's side, S-cab, M-cab, L-cab	Ac1	B6 768 3026
3 Co-driver's side, S-cab, M-cab, L-cab	Ac1	B6 768 3027
3 Driver's side, Megaspaces cab	Ac1	B6 768 3029
3 Co-driver's side, Megaspaces cab	Ac1	B6 768 3030
3 Centre mat, Megaspaces cab	Ac1	B6 768 3033
3 Centre mat, Megaspaces cab	Ac1	B6 768 3204
3 Driver's side, S-cab, M-cab, L-cab	Ac1	B6 768 3205
3 Co-driver's side, S-cab, M-cab, L-cab, regular	Ac1	B6 768 3206
3 Co-driver's side, S-cab, M-cab, L-cab, reclining seat	Ac1	B6 768 3207
3 Co-driver's side, S-cab, M-cab, L-cab, Single Cab	Ac1	B6 768 3208



Velour floor mats



High-quality velour mats with brown leather edging. Carpet-grade pearl velour. No softening agents. Solvent-free. Matching centre mats.

Product advantages Precision fit; non-slip polyurethane backing; can be cleaned with a steam cleaner, without loss of grip

Velour floor mats for Actros 4, Antos and Arocs

Item designation	Vehicle	Part no.
4 Driver's side with level floor (F2A), all cab widths	Ac4 An	B6 768 1230
4 Co-driver's side, 2.5, Solo, DOZ	Ac4	B6 768 1231
4 Co-driver's side, 2.5, suspension (F2H+D1P or F2H+D1Q)	Ac4 Ar	B6 768 1232

Velour floor mats for Actros 4, Antos and Arocs

Item designation	Vehicle	Part no.
4 Co-driver's side, 2.5, regular (F2H+D1N)	Ac4 Ar	B6 768 1233
4 Co-driver's side, 2.3, suspension (F2G+D1P or F2G+D1Q)	Ac4 An Ar	B6 768 1234
4 Co-driver's side, 2.3, regular (F2G+D1N+F2B or F2C)	Ac4 An Ar	B6 768 1235
4 Co-driver's side, 2.3, regular (F2G+D1N+F2A)	Ac4 An Ar	B6 768 1236
4 Driver's side, 2.3 (F2G+D1N+F2A)	Ac4 An Ar	B6 768 1237
4 Centre mat, 2.5, level (F2H+ F2A)	Ac4	B6 768 1245
4 Centre mat, 2.3, level (F2G+F2A)	Ac4	B6 768 1247
4 Centre mat, 2.3, tunnel (F2G+F2B or F2G+F2C)	Ac4 An	B6 768 1248

Velour floor mats for Actros 3 and Actros 2

Item designation	Vehicle	Part no.
4 Driver's side, S-cab, M-cab, L-cab	Ac2 Ac3	B6 768 1203
4 Co-driver's side, S-cab, M-cab, L-cab, regular	Ac2 Ac3	B6 768 1204
4 Driver's side, Megaspaces cab	Ac2 Ac3	B6 768 1205
4 Co-driver's side, Megaspaces cab, regular	Ac2 Ac3	B6 768 1206

Velour floor mats for Actros 3 and Actros 2

Item designation	Vehicle	Part no.
4 Co-driver's side, Megaspaces cab, reclining seat	Ac2 Ac3	B6 768 1207
4 Co-driver's side, Megaspaces cab, Single Cab	Ac2 Ac3	B6 768 1208
4 Centre mat, Megaspaces cab	Ac2 Ac3	B6 768 1209
4 Co-driver's side, S-cab, M-cab, L-cab, reclining seat	Ac2 Ac3	B6 768 1210
4 Co-driver's side, S-cab, M-cab, L-cab, Single Cab	Ac2 Ac3	B6 768 1211
4 Centre mat, low tunnel	Ac2 Ac3	B6 768 1212
4 Centre mat	Ac2	B6 768 1218

Velour floor mats for Actros 1

Item designation	Vehicle	Part no.
4 Driver's side, S-cab, M-cab, L-cab	Ac1	B6 768 1021
4 Co-driver's side, S-cab, M-cab, L-cab, with footrest	Ac1	B6 768 1023
4 Driver's side, Megaspaces cab	Ac1	B6 768 1024
4 Co-driver's side, Megaspaces cab	Ac1	B6 768 1025
4 Centre mat, Megaspaces cab	Ac1	B6 768 1026

1 Velour floor mats, edged in leather



High-quality velour floor mats with brown leather edging. Carpet-grade pearl velour. No softening agents. Solvent-free.

Product advantages Precision fit; non-slip polyurethane backing; can be cleaned with a steam cleaner, without loss of grip

Velour floor mats edged in leather for Actros 3 and Actros 2

Item designation	Vehicle	Part no.
1 Co-driver's side, Megaspaces cab, Isri suspension	Ac2 Ac3	B6 768 1219
1 Driver's side, Megaspaces cab, Isri suspension	Ac2 Ac3	B6 768 1220
1 Mat, front left	Ac2 Ac3	B6 768 1225
1 Mat, front right	Ac2 Ac3	B6 768 1226

Window insulation mat



Protective shield: 7-layer window insulation mat protects against cold or heat. Also suitable for shading the cab.

Fitting Simple to attach to inside of windows using pre-fitted suction pads

Scope of delivery 3-piece, precision-fit set for front and side windows. Supplied with black stowage bag

Item designation Vehicle Part no.

Window insulation mat	Ac2 Ac3 Ac4	B6 753 0020
-----------------------	---	-------------



2 Sunblinds



Optimum insulation from heat on hot days: the sunblind reduces glare and the build-up of heat in bright sunlight, enhancing safety and comfort.

Scope of delivery Without installation kit

Note Series-production solution can be retrofitted in all MP2 vehicles from September 2007

Item designation Vehicle Part no.

2 Sunblind, driver's side (Code FS4/FS5)	Ac2 Ac3	A 943 810 1320
Sunblind, co-driver's side (Code FS4/FS5)	Ac2 Ac3	A 943 810 1420

Installation kit for sunblind

Item designation	Vehicle	Part no.
Dowel	Ac2 Ac3	A 000 988 8425
Sheet metal screw, 4.8 x 25	Ac2 Ac3	N 000 000 000 464
Cap, 12.5 mm	Ac2 Ac3	A 943 811 0061

Door blind

Optimum protection from the sun: when the sun is shining in at the side of the cab, the door blind protects against glare and prevents the interior from overheating. No direct draught when window is open. Blind is infinitely adjustable.

Item designation	Vehicle	Part no.
Door blind, driver's side	Ac1	B6 626 0224

Back and neck cushions



Sitback back cushions

The Sitback back cushions offer comfort and effective relief for the lumbar region. Individual pneumatic adjustment.

Material Fabric

Fitting With two clips for attaching between seat cushion and backrest

Item designation Vehicle Part no.

3 Sitback Air back cushion	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0140
----------------------------	---	-------------

Sitback neck cushions

The neck cushions, designed for all seats with removable and integral head restraint, aid relaxation. They also serve as additional padding for the existing head restraint.

Material Fabric

Fitting With Velcro strip for simple attachment

Item designation Vehicle Part no.

For removable head restraint - also suitable for passenger cars	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0142
4 For integral seats (integral head restraint) - also suitable for passenger cars	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0141



Electrical accessories.

Electrifying advantages: with Mercedes-Benz Genuine Accessories you're driving with the best. For the Mercedes star stands for proven quality in terms of electrical systems as well. These high-tech products are designed to meet the highest of demands – whether it's recharging your phone's battery via the universal mobile phone charging cradle, practical manoeuvring with the aid of the reversing camera, scheduling operations using FleetBoard telematics services or secure vehicle tracking.

Vehicle tracking



Small box, huge peace of mind: Mercedes-Benz vehicle tracking uses an integrated GPS receiver to transmit via satellite the precise location of your vehicle. In an emergency you can therefore respond quickly with cutting-edge technology. If your vehicle is stolen, you should immediately contact your alarm centre. The alarm centre network can be contacted round the clock in 36 European countries. Each centre liaises directly with national police forces to rapidly locate and recover the vehicle. Drivers benefit from Europe-wide roaming thanks to the SIM card reader with monthly contract. The vehicle tracking software and internet application are included in the specification. The vehicle tracking system is discreetly fitted so it cannot be seen from the outside, or even inside the vehicle. IP67 and IP56 protection.

Item designation	Vehicle	Part no.
Vehicle tracking	Ac1 Ac2 Ac3 Ac4 An Ar	B6 782 1245

[back to contents](#)

Universal mobile phone charging cradle



Best reception: the charging cradle allows you to connect your mobile phone to your vehicle's external aerial – and recharge its battery at the same time. It also provides a safe place to keep your mobile when you're on the move.

Scope of delivery	4 connecting cables for power supply to Nokia phones and phones with micro-USB port; holder for the most popular mobile phones	
--------------------------	--	--

Item designation	Vehicle	Part no.
Universal mobile phone charging cradle (in conj. w. Code J2C or J2D)	Ac2 Ac3 Ac4 An Ar	B6 782 1305

Universal mobile phone cradle



Say goodbye to searching for the right cradle to match every phone model you use: the charging cradle is compatible with a range of Bluetooth mobiles, irrespective of manufacturer. Includes inductive external aerial and a USB charging connection. Connection to on-board power supply.

Item designation	Vehicle	Part no.
Universal mobile phone cradle	Ac2 Ac3	B6 782 1303
Extension cable	Ac2 Ac3	B6 782 1304

Retrofit mobile phone cradle



For good business connections: a retrofit mobile phone cradle. Permanent connection to the external aerial means that radiation in the cab is reduced to a minimum. The phone's battery is also recharged.

Scope of delivery	Wiring harness, base plate, FME/FAKRA adapter	
Note	Only in conjunction with Code EU2 and Code EV5	

Item designation	Vehicle	Part no.
Retrofit mobile phone cradle (Code EU3)	Ac1 Ac2 Ac3	B6 782 1291

Mobile phone charging cradle



Enjoy the convenience of operating your mobile phone via the multifunction steering wheel. The charging cradle establishes a connection to your vehicle's external aerial. It also recharges your phone's battery and provides a safe place to keep your iPhone while you're on the move.

Item designation	Vehicle	Part no.
Mobile phone charging cradle (for the iPhone 3G, 3GS, 4, 4S)	Ac4 An Ar	B6 782 1306



CB radio

Universal CB radio, 12 V

At home on all channels: universal CB radio with 3 switchable national frequency tables. With ASC (automatic sound control) and microphone with up/down buttons for selecting channel.

Technical data	3 switchable national frequency tables: 80 FM channels, 4 W/12 AM channels, 1 W/40 FM channels, 4 W/40 AM channels, 1 W/40 FM channels, 4 W/CEPT
-----------------------	---

Item designation	Vehicle	Part no.
------------------	---------	----------

1 Universal CB radio, 12 V [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 683 0017

Replacement microphone, [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 683 0016
CB radio

Standard CB radio, 12 V

Standard CB radio with practical channel selector and bar displaying opposite number's signal strength.

Technical data	40 FM channels, 4 W/40 AM channels, 1 W; squelch control to prevent background noise
-----------------------	---

Item designation	Vehicle	Part no.
------------------	---------	----------

2 Standard CB radio, 12 V [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 682 8599

Replacement microphone, [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 683 0014
CB radio

Accessories for CB radios

Item designation	Vehicle	Part no.
------------------	---------	----------

Additional loudspeaker [Ac1](#) B6 682 8589

Microphone mount [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) A 943 828 0214

Housing [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 683 0012

Mount [Ac4](#) [An](#) [Ar](#) B6 683 0013

Mounting frame CB radio [Ac4](#) [An](#) [Ar](#) A 960 846 0124 9051

Mounting frame CB radio [Ac2](#) [Ac3](#) A 943 846 0824 7D66



Bluetooth CD radio

Perfect infotainment: if required, other portable devices such as an MP3 player or an iPod can be connected. Bluetooth CD radio with integral hands-free system via Bluetooth interface. Ensures the driver's hands are free for steering.

Technical data	Radio with 4 wavebands – MW, FM, LW, SW; CD player (formats Audio CD, MP3, WMA); CAN interface for display in instrument cluster; phone book access (with Code EU2) via multifunction steering wheel – display in instrument cluster; operating voltage 24 V
-----------------------	---

Item designation	Vehicle	Part no.
------------------	---------	----------

Bluetooth CD radio [Ac1](#) [Ac2](#) [Ac3](#) A 004 820 5386
(Code EU2)



Camera systems

Front camera system

This eye misses nothing: the front camera records the blind spot in front of the cab, increasing safety when pulling away or manoeuvring.

Function	Camera is activated and deactivated automatically according to the speed (approx. 30 km/h)
-----------------	--

Fitting	With flexible mounting system
----------------	-------------------------------

Scope of delivery	Incl. monitor, system box, cabling
--------------------------	------------------------------------

Product advantages	Provides a view of the blind spot in front of the cab; cable and plug systems approved for hazardous materials; waterproof camera housing (IP 69K protection); integral heating; straightforward cleaning of lens; system can be extended for combined use of front camera and reversing camera
---------------------------	---

Note	Complies with statutory regulations governing replacement of front mirror
-------------	---

Item designation	Vehicle	Part no.
------------------	---------	----------

3 Front camera system [Ac1](#) [Ac2](#) [Ac3](#) B6 782 1260



Reversing camera system

Keeping an overview: the reversing camera system makes the area directly behind the vehicle visible, increasing safety and helping to prevent accidents. With or without overlay (lateral lines to make assessing distances easier).

Function	System is automatically activated when reverse gear is engaged
-----------------	--

Product advantages	Increased accident prevention; precise reversing and manoeuvring; cable and plug systems approved for hazardous materials; waterproof camera housing (IP 69K protection); integral heating
---------------------------	--

Note	A second person is still required to act as banksman at present; in conjunction with Code J9J (pre-installation for reversing camera) image is shown either via video-capable instrument cluster, Code J1C (12.7 cm colour display) or via radio/navigation system, Code J2D (17.78 cm colour display)
-------------	--

Item designation	Vehicle	Part no.
------------------	---------	----------

4 Reversing camera without overlay [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1275

Reversing camera with overlay [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1269

5 Adapter cable (in conjunction with Code J9J) [Ac4](#) [An](#) [Ar](#) B6 753 0171

Multi-cable, 5 m [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1277

Multi-cable, 11 m [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1278

Multi-cable, 16 m [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1279

6 Multi-cable, 21 m [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1280

7 Helix cable [Ac1](#) [Ac2](#) [Ac3](#) [Ac4](#) [An](#) [Ar](#) B6 782 1281



Truck Navigation DVD 2014/2015



Getting you safely to your destination: DVD featuring map for truck navigation. In conjunction with Code J2D.

Item designation	Vehicle	Part no.
Truck Navigation DVD 2014/2015	Ac4 An Ar	B6 683 0051

FleetBoard

1



2



FleetBoard offers the optimum way to control your fleet, whether in long-distance, rural or urban transport. Helping make your operations even more profitable. There is a range of useful services – simply choose the ones that best suit your fleet.

Product advantages Available in over 50 countries; telematics services for client, driver, vehicle and load; simple, worldwide access to data via internet or FleetBoard app; extensive Mercedes-Benz sales and service network

Item designation	Vehicle	Part no.
1 FleetBoard wiring harness	Ac1 Ac2 Ac3	B6 782 1230
2 FleetBoard retrofit kit, roof aerial	Ac1 Ac2 Ac3	B6 782 1220
3 FleetBoard DispoPilot mount	Ac1 Ac2 Ac3	B6 782 1187
4 FleetBoard DispoPilot battery	Ac1 Ac2 Ac3	B6 782 1188
FleetBoard wiring harness X63-X126	Ac1 Ac2 Ac3	B6 782 1206
5 FleetBoard EX3 set	Ac2 Ac3	B6 782 1170
FleetBoard DispoPilot wiring harness YN3	Ac2 Ac3	B6 782 1191
FleetBoard	Ac2 Ac3	B6 782 1202
6 FleetBoard mounting frame	Ac1 Ac2 Ac3	B6 782 1207
TiiRec with pre-installation	Ac2 Ac3	B6 782 1225
TiiRec without pre-installation	Ac2 Ac3	B6 782 1226
Retrofit DispoPilot.mobile	Ac2 Ac3	B6 782 1227


3




4



5



6



Inverter



Converts 24 V direct current into 230 V alternating current, protected against overload and short circuit. The inverter allows you to connect a variety of electrical consumers to your on-board power supply, from your laptop to your shaver. Output up to 350 W.

Note Only in conjunction with Code ED9 (pre-installation for electrical equipment)

Item designation	Vehicle	Part no.
Inverter for S-cab, M-cab and L-cab	Ac2 Ac3	B6 753 0131
Inverter for Megaspacer cab	Ac2 Ac3	B6 753 0130

ABS/EBS plug and socket

7



8



Plug and socket (ISO 7638) for standard cable. ADR/GGVS-approved. Straight rear outgoing circuit.

Technical data With 9 crimp contact sleeves (5 x 1.5 mm², 2 x 4 mm² and 2 x 6 mm²)

Item designation	Vehicle	Part no.
7 ABS/EBS plug	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0158
8 ABS/EBS socket	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0159

Plug and socket, 15-pin

9



10



Plug (ISO 12098) for standard cable and socket (ISO 12098) for standard and corrugated cable. ADR/GGVS-approved. Straight rear outgoing circuit.

Technical data Crimp connections (12 x 1.0 – 1.5 mm² and 3 x 2.5 mm²)

Item designation	Vehicle	Part no.
9 Plug, 15-pin	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0163
10 Socket, 15-pin	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0164

Power plug and power socket



A safe connection: power plug and power socket for safe supply of electrical devices with high power consumption (e.g. coffee maker and kettle). Suitable for current consumption of up to 25 A.

Technical data	2.5 mm ² wiring in red and brown, cable sheath; fuse in cable, 25 A
Scope of delivery	Wiring harness, fuse, socket, ring eyelet
Power socket	(MagCode) Power Port Pro 24 V (Connection: 6.3 mm flat contact)
Power plug	(MagCode) Power Clip Pro 24 V (Connection: screw)
Product advantages	Safe seat for plug; safe connection, both magnetic and mechanical; current flow only when mechanical connection is closed; 50% lower installation depth than standard socket; short circuit-proof
Note	Power socket in conjunction with Code ED9

Item designation	Vehicle	Part no.
Power socket	Ac2 Ac3	B6 753 0126
Power plug	Ac2 Ac3 Ac4 An Ar	B6 753 0129

USB extension cable



Music on tap: extension cable for connecting external USB devices such as MP3 players or memory sticks to the radio in the Actros, Antos and Arocs (in conjunction with Code J2A - J2E).

Technical data	USB A connector, mini USB plug
Length	65 cm
Product advantages	Specially developed for Mercedes-Benz radios

Item designation	Vehicle	Part no.
USB extension cable	Ac4 An Ar	B6 753 0172

USB/iPod interface and cradle



Perfect connections: interface for connecting USB storage media (e.g. MP3 player) or an iPod to the CD radio or the Bluetooth CD radio. Operated via the radio or the multifunction steering wheel. An iPod cradle can also be accommodated e.g. in the stowage compartment as an option.

Operating voltage	24 V
Connections	1x iPod connection (dock connector) (For iPod G3/G4, mini, photo, video 5G, 5.5G, classic 6G, nano 1G/2G/3G, touch, iPhone) (30-pin) 1x USB connection (socket) or USB 2.0, A connector (USB 1.1/2.0 storage media [Mass Storage Device {MSD}]: USB stick/hard disc)
Product advantages	Battery of connected storage medium (e.g. MP3 player or iPod) is charged while music is playing; current song number displayed on radio or instrument cluster

Item designation	Vehicle	Part no.
USB/iPod interface	Ac1 Ac2 Ac3	B6 782 1272
iPod cradle	Ac1 Ac2 Ac3	B6 782 4501

Audio/video adapter set

1



Perfect connections for superb entertainment: the adapter set comprises extension cables to connect external audio and video devices such as a DVD player to the radio. Also suitable for connecting the reversing camera.

Audio adapter set	Line-in adapter and mute adapter/ISO connector and cinch couplings; allows sound from external devices to be output via on-board loudspeakers, plus mute function, suitable for TV, navigation system (announcements), external hands-free system, etc. (in conjunction with Code J2A-J2E)
--------------------------	--

2



Video adapter set	FAKRA coaxial housing Code F (brown) and Code E (green), cinch coupling, black and yellow/video in and out; allows the connection of external video devices, suitable for Playstation, Wii, video camera, TV etc. (in conjunction with Code J2D)
--------------------------	--

Product advantages	Adapters specially developed for Mercedes-Benz radios
---------------------------	---

Item designation	Vehicle	Part no.
1 Audio adapter set	Ac4 An Ar	B6 753 0173
2 Video adapter set	Ac4 An Ar	B6 753 0174

Adapter cable and adapter



Adapter cable and adapter for power supply between tractor and trailer or semitrailer.

Adapter cable 15-pin plug (connector) acc. to ISO 12098 (24 V), 7-pin socket acc. to ISO 1185 (24 V, normal, black) and ISO 3731 (24 V, additional, white)

Short adapter 15-pin plug (connector) acc. to ISO 12098 (24 V), 7-pin socket acc. to ISO 1185 (24 V, normal, black) and ISO 3731 (24 V, additional, white)

Adapter 15-pin (V-ADR-) plug (connector) acc. to ISO 12098 (24 V), 7-pin socket acc. to ISO 1185 (24 V, normal, black) and ISO 3731 (24 V, additional, white)

Usage From socket (ISO 12098) on tractor vehicle to plug (ISO 1185 and ISO 3731) on trailer/semitrailer

Item designation	Vehicle	Part no.
1 24 V adapter cable, 15-pin to 2 x 7-pin	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0151
2 24 V short adapter, 15-pin to 2 x 7-pin, without cable	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0152
3 24 V adapter, 15-pin to 2 x 7-pin, with helix cable (Code E6E)	Ac1 Ac2 Ac3 Ac4 An Ar	A 000 545 3984

Voltage reduction adapter



Versatile: voltage reduction short adapter for operating 12 V trailers from a 24 V on-board system.

Usage From 15-pin 24 V to 13-pin 12 V

Product advantages Automatic reset in the event of current overload/overheating; compatible with lamp monitoring units; ensures correct function of ABS information module

Note For bulbs only

Item designation	Vehicle	Part no.
Voltage reduction adapter	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0167

Trailer socket, 24 V



For a safe electrical connection between tractor and trailer or semitrailer. The socket can be used to power e. g. illumination, tail lights or brake lights.

Technical data 24 V; assignment 5 x 1.5 mm² and 2 x 4 mm²; 7/15-pin ABS/EBS (ISO 7638)

Length Total 4.5 m

Item designation	Vehicle	Part no.
4 Trailer socket, 15-pin	Ac1 Ac2 Ac3 Ac4 An Ar	A 000 540 2739
5 Trailer socket, 7-pin	Ac1 Ac2 Ac3 Ac4 An Ar	A 000 540 3839

Jump leads, 24 V



Get back on the move: jump leads with integral protective circuit to suppress inductive voltage spikes and four fully insulated crocodile clamps, in a practical carrying case.

Technical data 24 V, up to 1000 A, 50 mm² cable cross-section

Length 5 m

Product advantages Robust, vulcanised flat webbed cables, protected from tearing loose; reduced sparking; compliance with DIN 72 553; connectors and couplings with waterproof, vulcanised finish

Item designation	Vehicle	Part no.
Jump leads	Ac1 Ac2 Ac3 Ac4 An Ar	B6 753 0150

Aerials

Always a good reception: various aerials for CB radio, radio or combined radio/GSM 900 MHz network are available for the Actros, Antos and Arocs. Your Mercedes-Benz dealer will be happy to advise you

Item designation	Vehicle	Part no.
Combination aerial, radio/900 MHz network	Ac1 Ac2 Ac3	B6 682 8534
CB radio aerial, for high roof	Ac1 Ac2 Ac3	B6 682 8527
CB radio aerial, for low roof	Ac1 Ac2 Ac3	B6 682 8535
Trunking rod aerial	Ac1 Ac2 Ac3	B6 682 8569
Dual-band rod aerial, 900 MHz/1800 MHz network	Ac1 Ac2 Ac3	B6 682 8572
1 Shortened AM/FM rod aerial, 234 mm, for car transporter	Ac4	B6 782 1321
Rod aerial, AM/FM, 400 mm	Ac1 Ac2 Ac3	B6 682 8573
Rod aerial, AM/FM, 500 mm	Ac1 Ac2 Ac3	B6 682 8574
Rod aerial, CB radio, 400 mm	Ac1 Ac2 Ac3	B6 683 0026
Rod aerial, CB radio, 500 mm	Ac1 Ac2 Ac3	B6 683 0027
Aerial assembly, radio, 10°, telephone, cable length 900 mm	Ac3	A 003 820 2075
Aerial assembly, radio, 60°, telephone, cable length 1150 mm	Ac3	A 003 820 2275
Aerial, GSM/GPS FleetBoard/navigation, cable length 1450 mm	Ac3	A 001 827 9401
2 Aerial, GSM/GPS FleetBoard/navigation, cable length 1450 mm	Ac4	A 906 905 4800
Aerial assembly, CB radio, 10°, 450 mm, cable length 3500 mm	Ac3	A 003 820 2475
Aerial assembly CB radio, 60°, 450 mm, cable length 3500 mm	Ac3	A 003 820 2575
Rod aerial, radio, 420 mm	Ac3	A 001 827 8801
Rod aerial, CB radio, 450 mm	Ac3	A 001 827 9201
Aerial base, AM/FM, 20°	Ac4 An Ar	A 002 827 0301
Aerial base, AM/FM/RRCL 433 MHz/telephone, 20°	Ac4 An Ar	A 002 827 0501
Aerial base, CB radio, 6°	Ac4 An Ar	A 002 827 0701
Aerial base, CB radio, 20°	Ac4 An Ar	A 002 827 0801
Rod aerial, 280 mm, radio/telephone, 20°	Ac4 An Ar	A 002 827 0601
Rod aerial, 435 mm, CB radio, 6°/20°	Ac4 An Ar	A 002 827 0901

1

2

Spacer, CB radio aerial

Keep your distance: spacer for CB radio aerial on car transporters.

Colour	Black	
Fitting	Simple to fit	
Item designation	Vehicle	Part no.
Spacer, CB radio aerial	Ac2 Ac3 up until 09/2008	B6 782 1261
Spacer, CB radio aerial	Ac3 from 10/2008	B6 782 1262

HF adapters, GSM/GPS

Perfect connection for new aerials: HF adapters for connecting aerials with FAKRA connection to the FME connection in the electrical compartment (Code EV5).

Note	FAKRA-coded, i. e. can also be used for other devices (e. g. trunking, GPS, fax, telephone)
-------------	---



Item designation	Vehicle	Part no.
GSM	Ac3	B6 782 1264
GSM for FleetBoard	Ac1 Ac2 Ac3	B6 782 1132
GPS for FleetBoard	Ac1 Ac2 Ac3	B6 782 1133

Thermal paper/Bulk pack of thermal paper

Box in Mercedes-Benz After-Sales design, incl. 10 packs of 100 discs. For display at sales desk or as bulk pack for vehicle fleets. Tachograph discs (10x A 000 542 7594).

Scope of delivery	Either three 8 m rolls or as bulk pack with 20 packs of three rolls
--------------------------	---

Item designation	Vehicle	Part no.
3 Thermal paper (three 8 m rolls)	Ac2 Ac3 Ac4 An Ar	B6 782 1244
4 Bulk pack of thermal paper (20 packs of 3 rolls)	Ac2 Ac3 Ac4 An Ar	B6 782 1243



Tachograph discs/Bulk pack of tachograph discs



Individually sealed tachograph discs in a box of 100 or as bulk pack containing 10 boxes of 100.

Item designation	Vehicle	Part no.
1 Individual tachograph discs (box of 100)	Ac1 Ac2 Ac3	A 000 542 7594
2 Bulk pack of tachograph discs (10 boxes of 100)	Ac1 Ac2 Ac3	B6 782 1246

Spare bulb box



Small and large bright spots: all the necessary spare bulbs in a sturdy box.

Product advantages Safe, space-saving storage in a handy box; cross-range suitability

Scope of delivery All the spare bulbs required for the main-beam headlamps, fog lamps, indicators, interior lights, etc.

Note Important: carrying spare bulbs is compulsory in many European countries

Item designation	Vehicle	Part no.
3 Spare bulb box H7, small	Ac1 Ac2 Ac3 Ac4 An Ar	B6 683 0022
Spare bulb box H4, small	Ac1	B6 683 0023
4 Spare bulb box H7, large	Ac1 Ac2 Ac3 Ac4 An Ar	B6 683 0021

Contents of spare bulb boxes

3 H7, small	H4, small	4 H7, large	Contents of spare bulb boxes	
-	-	1x	H1	Main-beam headlamp
1x	-	2x	H7 LHD	Low-beam headlamp
-	1x	-	H4	Low-beam headlamp
2x	2x	3x	P21W	Rear lights: Indicator, reversing lights, brake lamp
1x	1x	3x	R10W	Licence plate, side positioning lamp, tail lamp
1x	1x	1x	PY21W	Front indicator
-	1x	1x	C5W	Marker lamp front left or right on wind deflector
1x	-	2x	W5W	Side lights, entrance
1x	1x	2x	Fuse 10A	
1x	1x	2x	Fuse 15A	
1x	1x	1x	Fuse 20A	
1x	1x	1x	Fuse 25A	

Retrofit EEV emission standard



Keeping the environment in good shape, too: Euro 5-compliant vehicles can be converted to meet the EEV (Enhanced Environmentally Friendly Vehicles) emission standard. This means that your vehicle meets the stringent standards prescribed by Euro 5 - while at the same time the particulate figure is reduced by around 33%.

Vehicles suitable for retrofitting Vehicles in the output categories 300 kW/408 hp, 320 kW/436 hp and 335 kW/456 hp that already feature BlueTec®5 technology. This means that all Euro 5-compliant Actros produced since 2005 that have a KH7/KH8 silencer and a KD6 emissions monitoring system for nitrogen oxides (NO_x), can be retrofitted to EEV standard

Note The technical implementation is based on BlueTec®5 and comprises the replacement of the fuel injection lines, the pressure pipe connection and the injection nozzles, plus modifications to the software for the engine control unit

The following items must be replaced

Item designation	Vehicle	Part no.
Information package	Ac2 Ac3	A 000 584 0078
EEV parts set	Ac2 Ac3	A 003 010 0851

Retrofit PPC



Reduce the fuel consumption of your truck by as much as 5% by retrofitting PPC (Predictive Powertrain Control): This innovative system combines GPS data and topographic maps with Mercedes PowerShift 3. Via the cruise control system, gear selection and vehicle speed are adapted in anticipatory and fully automated mode to the individual conditions along your route.

Product advantages Fuel savings of as much as 5% without any reduction in average speed; optimised shift comfort thanks to automatic adjustment to local topography:

- anticipatory coasting in neutral (EcoRoll) on slight downward slopes
- early engagement of appropriate gear ahead of an incline
- early upshifting ahead of the crest of a hill
- avoidance of unnecessary downshifts on inclines or of gear changes on steep, short inclines

Can be used on 95% of European motorways and trunk roads

Note In conjunction with PowerShift 3 (G5G)

Item designation	Vehicle	Part no.
PPC retrofit package	Ac4	B6 683 0049

That extra something for your experts.

Mercedes-Benz Genuine Accessories for Axor and Atego.





Exterior.

Turn your Axor or Atego into a unique vehicle: Mercedes-Benz Genuine Accessories offer you a whole range of ways to add an individual touch. And to ensure an impressive look, we scrutinise all of our products: before our exterior accessories are approved for your vehicle, they have to undergo rigorous testing to demonstrate that they can cope with any challenge. For a dazzling impression that lasts long after the first glance.



Mercedes-Benz entrance emblem, embossed

A mark of style: the stainless steel entrance emblem with embossed lettering is sure to make a lasting impression.

Material	Brushed stainless steel
Dimensions	Height 18 cm, width 27 cm
Cab	For all cabs

Item designation	Vehicle	Part no.
Mercedes-Benz entrance emblem with embossed lettering	Ax1 Ax2 At1 At2 At1 Atn	B6 752 0123

[back to contents](#)

Chrome trim for door



Sharpening the profile of your Axor: chrome trim for the driver and co-driver's side.

Material	Scratch-resistant, weather-resistant plastic, with high-quality chromed finish	
Fitting	Simple adhesive attachment	
Cab	For L-cab	
Scope of delivery	Set for driver and co-driver's side	

Item designation	Vehicle	Part no.
Chrome trim for door	Ax1 Ax2 Atn	B6 752 0138

Stainless steel front bar



Make an impression: the stainless steel front bar for Axor and Atego combines a high-sheen finish with distinctive design.

Material	Tough, hand-polished stainless steel
Scope of delivery	1 front bar, mounting materials

Note Stainless steel front bar for Axor (B6 752 0133): suitable for all Axor 2 model variants 940 - 944 with front apron, in conjunction with front underride guard, EC (Code C73). If the vehicles in question feature a front air connection (Code BE4), the connection must be moved



Item designation	Vehicle	Part no.
1 Stainless steel front bar	Ax1 Ax2 At2	B6 752 0133
2 Stainless steel front bar	At1 At2 Atn	B6 752 0100

Care set

Keeping things shining and visibility good: the care set comprises a wide range of care products to help you look after your vehicle – outside and inside.

Scope of delivery Cabin care lotion, insect remover, interior glass cleaner, quick cleaner, polishing cloth, bag

Product advantages Care products have been specially developed for Mercedes-Benz vehicles and tested for material as well as environmental compatibility

Item designation	Vehicle	Part no.
1 Care set	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 684 8618
2 Chrome care	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 986 4374

Roof-mounted headlamp holders

See and be seen: roof-mounted headlamp holders for different cabs.

Material High-sheen polished stainless steel

Scope of delivery Incl. mounts for up to 4 auxiliary headlamps

Note Please observe country-specific statutory requirements for the attachment and use of roof-mounted headlamp holders

Item designation	Vehicle	Part no.
1 Roof-mounted headlamp holder for low roof	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 752 0222
2 Roof-mounted headlamp holder for high roof	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 752 0235

Floodlights

Designed to provide better illumination of the work area in front of the vehicle. Auxiliary headlamp with contemporary, clear-lens design.

Technical data 24 V, ref. 37.5

Diameter 22 cm

Fitting For all Mercedes-Benz roof-mounted headlamp holders

Scope of delivery 1 lamp

Note National statutory requirements for the attachment of auxiliary headlamps apply

Item designation	Vehicle	Part no.
Floodlights	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0039

Headlamp with LED position lights

Light performance. Powerful headlamp with 6 high-performance LEDs and distinctive night design. The ideal addition for enhanced lighting.

Technical data 24V, suitable for H1 24V/70W bulb, ref. 17.5

Diameter 22 cm

Fitting For all Mercedes-Benz roof-mounted headlamp holders

Quality characteristics High-boost reflector for ideal, even illumination of the road, developed using state-of-the-art computer technology; with flexible mounting system; headlamp with chrome surround; robust, impact-resistant housing; ECE type-approved headlamp

Scope of delivery 1 piece incl. bulb

Note National statutory requirements for the attachment of auxiliary headlamps apply

Item designation	Vehicle	Part no.
Headlamp with LED position lights	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0033

Headlamp

Headlamp including 24 V bulb for fitting on roof-mounted headlamp holder. Plastic housing, black with chrome surround.

Technical data 24V, H1 bulb, ref. 17.5

Diameter 22.2 cm

Fitting For all Mercedes-Benz roof-mounted headlamp holders

Scope of delivery 1 piece – incl. bulb, without LED position lamp, without connecting cable

Note National statutory requirements for the attachment of auxiliary headlamps apply

Item designation	Vehicle	Part no.
Headlamp without position lights	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0038

Headlamp with LED ring

More visibility: headlamp with open LED position ring – as an auxiliary headlamp for the roof-mounted headlamp holder.

Technical data Power consumption of H1 bulb 70 W, ref. 17.5

Diameter 22 cm


Material Reflector vapour-coated in pure aluminium, weather-sealed

Product advantages High efficiency for optimised light distribution; ECE-tested

Note Suitable for all Mercedes-Benz roof-mounted headlamp holders; National statutory requirements for the attachment of auxiliary headlamps apply

Item designation	Vehicle	Part no.
Headlamp with LED ring	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0034

Stainless steel steps, single or set of 3



1


2

Make an entrance: with non-slip steps in stainless steel.

Material	High-sheen polished stainless steel	
Scope of delivery	Incl. set of screws	

Item designation	Vehicle	Part no.
1 Stainless steel steps, set of 3	Ax1 Ax2 Axf	B6 752 0251
2 Stainless steel step, single	At1 At2 Atf Atn	B6 752 0246

Air horns



3

4

Full 2-tone sound: these air horns help attract attention e. g. in hazardous situations.

Material	Stainless steel	
Fitting	Mounting materials provided	
Dimensions	B6 684 8640: Horn length approx. 55 cm and 64 cm B6 752 0401: Horn length approx. 67 cm and 76 cm	
Scope of delivery	Set, consisting of two air horns incl. covers	

Item designation	Vehicle	Part no.
3 Air horns, short	Ax1 Ax2 Axf At1 At2 Atf	B6 684 8640
4 Air horns, long	Ax1 Ax2 Axf At1 At2 Atf	B6 752 0401

Required mounting materials

Item designation	Vehicle	Part no.
Rocker switch	Ax1 Ax2 Axf At1 At2 Atf	A 003 545 6707
Solenoid valve	Ax1 Ax2 Axf At1 At2 Atf	A 004 997 9736
Sleeve	Ax1 Ax2 Axf At1 At2 Atf	A 007 545 8226

"Speedline" light-alloy wheel




5

Good looks and enhanced profitability: the "Speedline" light-alloy wheel weighs around 40% less and helps reduce brake wear.

Product advantages	Increased payload; reduced brake wear as a result of high thermal conductivity and optimum ventilation	
Note	For Atego 1 up to 18t	

Item designation	Vehicle	Part no.
5 "Speedline" light-alloy wheel, 57.15 cm (22.5")x9.00"	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 601 0007
"Speedline" light-alloy wheel, 57.15 cm (22.5")x8.25"	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 601 0008

Stainless steel rear wheel hub caps



6

7

Attractive and practical: the high-quality rear wheel hub caps keep the axle clean and round off your vehicle's dynamic design with a distinctive detail.

Material	High-grade stainless steel	
Fitting	For 22.5" rear axle	
Product advantages	Protect against dirt; visual upgrade for vehicle, adding an individual touch	

Silver-coloured, in high-sheen polished stainless steel

Item designation	Vehicle	Part no.
6 Stainless steel rear wheel hub cap for HL 7 planetary axle (aluminium or steel rim)	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 752 0601
7 Stainless steel rear wheel hub cap for HL 6/HL 8 hypoid axle (aluminium rim)	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 752 0602

1 Stainless steel wheel trim and wheel nut cap set

Because every detail counts: the wheel trim and wheel nut cap set protects the rim and the wheel nuts from damage and adds highlights to your Axor or Atego.

Material	Stainless steel	
Note	For 57.15 cm (22.5") rims, 44.45 cm (17.5") rims and 49.53 cm (19.5") rims	

In polished stainless steel		
Item designation	Vehicle	Part no.
For steel rim (27 mm diameter nuts)	Ax1 Ax2 Ax1 At1 At2 Atf	B6 752 0610
1 For aluminium rim (32 mm diameter nuts)	Ax1 Ax2 Ax1 At1 At2 Atf	B6 752 0611
For steel rim, 44.45 cm (17.5"), 6-hole	At1 At2 Atf Atn	B6 752 0113
For steel rim, 49.53 cm (19.5"), 8-hole	At1 At2 Atf Atn	B6 752 0114

In polished stainless steel, with plastic cover and chromed Mercedes star		
Item designation	Vehicle	Part no.
2 For aluminium rim	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0612
2 Replacement star	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 601 0124

3 NEW Full wheel cover "Standard"

A real eye-catcher: full wheel cover to protect steel rim. Simple and quick to fit. For front and rear axle. Available in three sizes.

Material	Stainless steel, high-sheen polished	
Fitting	Simple attachment using snap ring on rim edge	
Scope of delivery	Mounting materials and screwdriver included	
Note	Fitting only permissible in conjunction with valve extension, e.g. B6 752 0622, B6 752 0623, B6 752 0624	

Item designation	Vehicle	Part no.
3 Full wheel cover front axle 44.45 cm (17.5")	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0607
Full wheel cover rear axle 44.45 cm (17.5")	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0608
Full wheel cover front axle 49.53 cm (19.5")	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0605
Full wheel cover rear axle 49.53 cm (19.5")	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0606
Full wheel cover front axle 57.15 cm (22.5")	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0603
Full wheel cover rear axle 57.15 cm (22.5")	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0604

4 NEW Valve extension

Simple, practical and safe: valve extension allows tyre pressure checks without need to remove wheel covers. Multilayer design for enhanced safety. Simple to use. Available in three lengths.

Item designation	Vehicle	Part no.
4 Valve extension 75 mm	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0622
Valve extension 145 mm	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0623
Valve extension 185 mm	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0624

Wheel nut caps



1

Attractive and practical: wheel nut caps, designed to protect the wheel nuts and add an attractive touch.

Material	High-grade stainless steel	
Note	Requirement per wheel: 10; requirement per wheel with 27 mm spanner size: 6	

Item designation	Vehicle	Part no.
1 Stainless steel, 32 mm spanner size	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0621
Stainless steel, 27 mm spanner size	At1 At2 Atf Atn	B6 752 0115
Stainless steel, 30 mm spanner size	At1 At2 Atf Atn	B6 752 0116

Practical tool for the wheel nut caps



2

Item designation	Vehicle	Part no.
2 Wheel nut cap remover for all spanner sizes	Ax1 Ax2 Ax1 At1 At2 Atf Atn	B6 752 0631

Fluorescent jacket



Unmissable: the fluorescent jacket, a legal requirement in some countries, features reflective stripes and a luminous colour to help you stay safe. Whether in daylight or after dark – when you're working outside the vehicle other road users will be able to see you from afar.

Item designation	Vehicle	Part no.
Fluorescent jacket	Ax1 Ax2 Ax1 At1 At2 Atf Atn	A 000 583 0461

Warning light



See and be seen: the warning light, a legal requirement in some countries, helps secure the scene of an accident and protect broken-down vehicles.

Function	The amber flashing light helps safeguard the hazardous location, while the white continuous light can be used to work on the vehicle in darkness	
-----------------	--	--

Item designation	Vehicle	Part no.
Warning light	Ax1 Ax2 Ax1 At1 At2 Atf Atn	A 628 583 0153

Rotation chains



3


Always a tyre length ahead: rotation chains for snowy winter days. A traction aid which can be selected while you're on the move.

Function	Rotation chains are connected to the drive axle and to the vehicle's compressed air system. Flip the switch in the cab, and a swivel arm presses the chain wheels against the inner sidewall of the tyre on the drive axle	
-----------------	--	--

Item designation	Vehicle	Part no.
3 Rotation chain, air-sprung for 4x2, 6x2/2, or 315/70 R 22.5	Ax1 Ax2	B6 758 0943
Rotation chain, from 18 t air-sprung for 4x2, 6x2, 6x2/4, 295/80, 315/70 or 315/80 R 22.5	Ax1 Ax2	B6 758 0930
Rotation chain, from 18 t air-sprung for 4x2, 6x2, 6x2/4, 275/70, 285/60 or 315/60 R 22.5	Ax1 Ax2 At1 At2	B6 758 0931
Rotation chains, from 6.5 t leaf suspension for HL2 axle, from 215/75 R 17.5	At1 At2	B6 758 0932
Rotation chains, from 6.5 t air-sprung for HL2 and HL4 axle, from 215/75 R 17.5	At1 At2	B6 758 0933
Rotation chains, from 6.5 t leaf suspension for HL4 axle, from 265/70 R 19.5	At1 At2 Atf	B6 758 0934
Rotation chains, from 12 t leaf suspension for HL4 axle, from 285/70 R 19.5	At1 At2	B6 758 0945

Replacement chain wheels

Item designation	Vehicle	Part no.
Chain wheel, 195 mm	Ax1 Ax2 At1 At2	B6 758 0901
Chain wheel, 160 mm	Ax1 Ax2 At1 At2	B6 758 0903



Wheel couplings

Coupling and uncoupling with ease: Mercedes-Benz offers a wide range of standard fifth wheel couplings, as well as low-maintenance couplings that do not require manual lubrication.

Robust 2" lightweight fifth wheel coupling, standard, JSK37C, manual lubrication or low-maintenance

Height	150 mm/250 mm
Fifth wheel load	20 t
Max. total traction weight	65 t
Quality features	Robust design; shock-absorbent rubber mounting; long pull handle; manual lubrication or low-maintenance

Note Suitable for 6x2 and 6x4 vehicles for long-distance transport, for heavy-duty operations on poor roads and on construction sites; may only be used with mounting plate

Item designation	Vehicle	Part no.
2" lightweight fifth wheel coupling, standard, JSK37C, manual lubrication, height 150 mm	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 789 3703
2" lightweight fifth wheel coupling, standard, JSK37C, low-maintenance, height 150 mm	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 789 3710
2" lightweight fifth wheel coupling, standard, JSK37C, low-maintenance, height 250 mm	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 789 3712

Weight-optimised 2" lightweight fifth wheel coupling, standard, JSK42, manual lubrication or low-maintenance

Height	150 mm
Fifth wheel load	20 t
Max. total traction weight	65 t
Quality features	Saves both weight (approx. 50 - 60 kg) and costs, as no mounting plate required; one-handed operation and long pull handle; manual lubrication or low-maintenance

Note Suitable for 4x2 vehicles in long-distance and short-radius distribution operations

Item designation	Vehicle	Part no.
2" lightweight fifth wheel coupling, standard, JSK42, manual lubrication	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 789 3742
2" lightweight fifth wheel coupling, standard, JSK42, low-maintenance	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 789 3744




LubeTronic lubricant dispenser

The LubeTronic lubricant dispenser eliminates the need for manual lubrication of the fifth-wheel coupling. Average service life 3 years, assuming annual mileage of 100,000 km. Retrofitting possible for all low-maintenance couplings.

Temperature range	-20°C to +70°C
Product advantages	Environmentally compatible and fuel-efficient thanks to electronic metering and fill-level monitoring

Item designation	Vehicle	Part no.
LubeTronic lubricant dispenser	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 789 0101



Mobile LED sequential flash set

Extra safeguard: the LED sequential flash set alerts following traffic in good time to the scene of the incident and guides it safely past. The five bright LED light elements can be set up in next to no time. And thanks to the sequential flashing light signals, the risk of not being seen despite fluorescent jacket and warning triangle is significantly reduced.

Technical data	Frequency 60 flashes/minute, operating voltage 10 - 30 volt DC, rechargeable via vehicle's electrical system using 2-pin automotive connector (connector for cigarette lighter)
-----------------------	---

Scope of delivery	5 LED light elements in a combined transport/charging case with charging cable
--------------------------	--

Item designation	Vehicle	Part no.
Mobile LED sequential flash set	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 653 0015



Mud flaps

Making a clean job of it: the back of the mud flaps features grooves which channel water away from the tyres, effectively reducing spray. Rear wheel mud flap with vulcanised, fade-resistant "Atego" lettering.

Material	High-quality rubber compound (quality 10296/A), oil-resistant, weather-resistant, ozone-resistant and highly tear-resistant
-----------------	---

Fitting	Simple to fit: front wheel mud flap with holes for attaching, 378x190mm; rear wheel mud flap with holes for attaching, 378x250 mm
----------------	---

Scope of delivery	Single
--------------------------	--------

Item designation	Vehicle	Part no.
1 Mud flap, front	At1 At2 Atf Atn	B6 653 0000
1 Mud flap, rear	At1 At2 Atf Atn	B6 653 0009

Lockable fuel filler cap

1



2



Perfect protection: the lockable fuel filler cap makes life more difficult for fuel thieves. Easy to use thanks to single-key system for the fuel tank.

Scope of delivery	AdBlue® fuel filler cap is supplied with two colour-coded keys	
Note	Diesel filler cap is supplied without a lock cylinder. Cylinder with key must be ordered separately – either with vehicle locking system or with any desired locking system. The alternatives shown below are available	

Item designation	Vehicle	Part no.
1 Lockable fuel filler cap for AdBlue®	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 470 4405
2 Lockable fuel filler cap for diesel	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 470 5005

Lock cylinder for lockable fuel filler cap		
Item designation	Vehicle	Part no.
Lock cylinder with vehicle locking system	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 760 3605
Lock cylinder with different locking system	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 760 4305

Side window wind deflectors

3



Cutting out turbulence: side window wind deflectors for draught-free driving even with the window open. With special aperture for the kerb-sight mirror on co-driver's side.

Colour	Available in tinted and clear version	
Scope of delivery	Set for driver and co-driver's sides, incl. mounting materials	

Item designation	Vehicle	Part no.
3 Side window wind deflectors for LHD, tinted	Ax1 Ax2 Axf At1 At2 Atf	B6 753 0014
Side window wind deflectors for RHD, tinted	Ax1 Ax2 Axf At1 At2 Atf	B6 753 0017
Side window wind deflectors for LHD, clear	Ax1 Ax2 Axf At1 At2 Atf	B6 753 0031

Replacement parts		
Item designation	Vehicle	Part no.
Mounting kit, side window wind deflectors	Ax1 Ax2 Axf At1 At2 Atf	B6 753 0016

Retrofit permanent magnet retarder



This low-wear and maintenance-free auxiliary braking system allows additional braking power of up to 181 kW in conjunction with braking torque of 650 Nm.

Weight	39 kg	
Product advantages	Increased braking power for a shorter stopping distance: the retrofit solution for the permanent magnet retarder improves both safety and economy, allows stress-free, eco-friendly driving and reduces the number of brake applications and shift changes necessary	
Note	Retarder retrofit solution for Atego C97x.xxx 4x2 platform trucks, tractor units in conj. w. 6-speed transmission G60/G85 (GC5 transmission G60 6/9.2-1.0 GC6 transmission G85-6/6.7-0.73); not in conjunction (B95/MK3/transmission-dependent PTO); Affected model variants: 9700 (all 4x2 platforms/all wheelbases), 9701 (all 4x2L platforms/all wheelbases), 9742 (all 4x2 tractor units/all wheelbases); installation of the permanent magnet retarder requires use of the parameterisable special module (PSM)	

Item designation	Vehicle	Part no.
For transmission flange 150 mm, without PSM	At2 Atf	A 000 430 52 90
For transmission flange 150 mm, with PSM	At2 Atf	A 000 430 54 90
For transmission flange 120 mm, without PSM	At2 Atf	A 000 430 53 90
For transmission flange 120 mm, with PSM	At2 Atf	A 000 430 55 90

To be ordered separately depending on vehicle specification		
Item designation	Vehicle	Part no.
Engine control/permanent brake operating lever (Code MD9) for cruise control, series SAA Z 533.517/25	Ax1 Ax2 Axf At1 At2 Atf Atn	A 009 545 28 24 7C45
Engine control/permanent brake operating lever (Code MD9) for cruise control, series SAA Z 533.517/26	Ax1 Ax2 Axf At1 At2 Atf Atn	A 009 545 29 24 7C45
Compressed-air line for auxiliary brake (without L-cab), series SAA Z509.230/82, without Code F04 and Y19	Ax1 Ax2 Axf At1 At2 Atf Atn	A 970 430 97 72
Compressed-air line for auxiliary brake (with L-cab), series SAA Z509.230/83, with Code F04 and Y19	Ax1 Ax2 Axf At1 At2 Atf Atn	A 970 430 98 72



Interior.

When you feel good, the working day seems so much easier. We offer an extensive range of Mercedes-Benz Genuine Accessories for the interior, designed to enhance your comfort and add an individual touch to your working environment. From fine wood trim to attractive seat covers, from a choice of coolboxes and practical stowage facilities to details such as the spectacles case – your wish is our command.

Seat covers, accessory design

Tailored comfort: the seat covers offer the ideal way to protect your seats from dirt, wear and damage. They are also impressively comfortable. For all standard seats.

Material Hardwearing microfibre velour, easy-care and washable at up to 30°C

Fitting Zip fastening for easy fitting

Note Further covers are shown from page 97 onwards

Item designation	Vehicle	Part no.
Blue/grey, Grammer co-driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1302

[back to contents](#)

Instrument support trim, fine wood



Refined design: burr walnut trim for the instrument panel and centre air vents adds a personal touch to the cab.

Fitting Trim sections feature adhesive backing for securing in place. Trim can be removed

Item designation	Vehicle	Part no.
Instrument support trim, fine wood	Ax2 Axf At2 Atf	B6 667 2240

Stowage tray for instrument support



Keeping a tidy cockpit: practical stowage tray with large compartments for all those things you need within easy reach.

Fitting Simple attachment to instrument support

Item designation	Vehicle	Part no.
Stowage tray for instrument support	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 667 2031



Bedding sets

Relaxing comfort meets attractive design.

Material Duvet and pillow with polyester/cotton blend filling; covers in soft, high-quality fabric, washable at up to 60° C

"Pause" bedding set in highly flame-resistant materials

Product advantages High rub-resistance, breathable, wrinkle-resistant, dimensionally stable, fade-resistant, free of harmful substances according to Oeko-Tex Standard 100, suitable for allergy sufferers

Item designation	Vehicle	Part no.
1 Bedding set, 2-piece	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 787 3695
Bedding set with duvet and pillow*, 4-piece	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 787 3700
Duvet cover, 135x200 cm	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 787 3693
Pillowcase, 80x80 cm	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 787 3694
Duvet and pillow* for bedding set	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 787 3701

* Duvet and pillow not flame resistant

Chequerboard bedding set

Item designation	Vehicle	Part no.
2 Bedding set, 4-piece	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2424
Duvet cover, 135x200 cm	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2443
Pillowcase, 60x60 cm	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2444

Check bedding set

Item designation	Vehicle	Part no.
3 Bedding set, 4-piece	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2130
Duvet cover, 135x200 cm	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2055
Pillowcase, 60x60 cm	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2054

Pillow and duvet for Chequerboard and Check bedding set

Item designation	Vehicle	Part no.
Pillow, 60x60 cm	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2058
Duvet, 135x200 cm	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2059



Bedding sets

Bolster and neck pillow

Ideal for a quick nap and for relaxing while reading or watching television. Covers coordinate with bedding design.

Material	100% cotton, washable cover	
Item designation	Vehicle	Part no.
4 Bolster for Check bedding set	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2056
4 Neck pillow for Check bedding set	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2057
5 Bolster for Chequerboard bedding set	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2422
5 Neck pillow for Chequerboard bedding set	Ax1 Ax2 At1 At2 Atf Atn	B6 787 2423



Fitted sheets

In pure, high-quality cotton jersey. With elasticated corners for a perfect fit.

Item designation	Vehicle	Part no.
Fitted sheet, upper bunk, 70x186.5 cm	Ax2 Axf At2 Atf Atn	B6 787 2445
Fitted sheet, lower bunk, 68.5x210 cm	Ax2 Axf At2 Atf Atn	B6 787 2447



Compressor coolbox

Space for refreshments: compressor coolbox with two-part lid, clip for attaching papers and interior light. Positioned on the engine tunnel between driver and co-driver's seats. Offers space for four upright 1.5-litre bottles. Two separate cool compartments - on switch and temperature control on back. Integral battery discharge protection. Cooling output thermostat-controlled.

Operating voltage	12/24V
Capacity	Approx. 23l
Temperature range	-18° C to +10° C
Dimensions	(LxWxH) approx. 550x260x440 mm
Weight	12 kg
Note	For vehicles with S-cab and L-cab

Item designation	Vehicle	Part no.
Compressor coolbox	Axf Atf	A 967 830 0060 7D53
Mounting kit	Ax1 Ax2 At1 At2	B6 667 2026
Mounting kit	Axf Atf	A 967 830 0014

On-board coolbox



Cooling and heating in one: thermoelectric coolbox with removable lid and energy-saving setting.

Operating voltage	12/24V
Capacity	21 l
Temperature range	Cooling 1 °C to 15 °C, heating 50 °C to 65 °C
Weight	5 kg

Item designation	Vehicle	Part no.
On-board coolbox	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 667 2040

Collapsible box



For universal use: the collapsible box can be used e.g. to keep drinks cool and hot food warm. Makes ideal use of space available underneath co-driver's seat.

Material	Polypropylene
Dimensions	(W x L x H) 300 x 500 x 200 mm
Product advantages	Hardwearing, washable, dishwasher-proof, low weight, foldable, good insulating function for transporting fresh foods, comfortable strap for carrying purposes
Note	Box with insulating function for use in on-board stowage compartments

Item designation	Vehicle	Part no.
Collapsible box	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 626 0110

Key ring



Practical and convenient: the key ring has been specially designed for your truck's multifunction key and is very simple to attach. Further keys may also be attached to the key ring.

Material	Made out of felt, with Mercedes-Benz logo
Dimensions	(W x L x H) 150 x 35 x 5 mm


Item designation	Vehicle	Part no.
Key ring	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 667 2041

Seat covers, accessory design

Ideal protection and superb comfort: the seat covers protect the seats against wear, damage and dirt. They also offer outstanding comfort. For all standard seats - from Isri to Grammer.

Material	Hardwearing microfibre velour, easy-care and washable at up to 30 °C
Fitting	Zip fastening for easy fitting

Microfibre velour, grey/black



Item designation	Vehicle	Part no.
1 Standard seat, front left/right	Atn	B6 640 1520
1 Centre seat	Atn	B6 640 1522
1 Suspension seat, front left	Atn	B6 640 1523
1 Suspension seat, front right	Atn	B6 640 1524
1 Comfort suspension seat, front left	Atn	B6 640 1525
1 Comfort suspension seat, front right	Atn	B6 640 1526

Microfibre velour, blue/grey



Item designation	Vehicle	Part no.
2 Isri driver's suspension seat with removable head restraint and belt guide	Ax2 At2	B6 640 1232
2 Isri co-driver's suspension seat with removable head restraint and belt guide	Ax2 At2	B6 640 1233
2 Standard fixed seat, belt on B-pillar	Ax2 At2	B6 640 1234
2 Centre seat	Ax2 At2	B6 640 1235
Head restraint	Ax2 At2	B6 640 1236
2 Grammer driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1301
2 Grammer co-driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1302
2 Isri driver's suspension seat	Axf Atf	B6 640 1307
2 Isri co-driver's suspension seat	Axf Atf	B6 640 1308


[back to contents](#)

1 Microfibre velour, grey/grey



Item designation	Vehicle	Part no.
1 Isri driver's suspension seat with removable head restraint and belt guide	Ax2 At2	B6 640 1228
1 Isri co-driver's suspension seat with removable head restraint and belt guide	Ax2 At2	B6 640 1229
1 Standard fixed seat, belt on B-pillar	Ax2 At2	B6 640 1230
1 Centre seat	Ax2 At2	B6 640 1231
1 Grammer driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1305
1 Grammer co-driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1306
1 Isri driver's suspension seat	Axf Atf	B6 640 1311
1 Isri co-driver's suspension seat	Axf Atf	B6 640 1312

3 Microfibre velour, grey/grey



Item designation	Vehicle	Part no.
3 Grammer co-driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1247
3 Isri co-driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1248
3 Isri co-driver's seat, without belt guide, with integral head restraint	At2 Atf	B6 640 1250

Seat covers, standard design

Elegant, hardwearing seat covers in all standard seat colours.

2 Microfibre velour, red/grey



Item designation	Vehicle	Part no.
2 Grammer driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1303
2 Grammer co-driver's suspension seat	Ax2 Axf At2 Atf	B6 640 1304
2 Isri driver's suspension seat	Axf Atf	B6 640 1309
2 Isri co-driver's suspension seat	Axf Atf	B6 640 1310

4 Skyline, flat-weave fabric design.



Item designation	Vehicle	Part no.
2 Standard seat, front left/right	Atn	B6 640 1500
2 Centre seat	Atn	B6 640 1502
2 Suspension seat, front left	Atn	B6 640 1503
2 Suspension seat, front right	Atn	B6 640 1504
2 Comfort suspension seat, front left	Atn	B6 640 1505
2 Comfort suspension seat, front right	Atn	B6 640 1506

Spyder


1



Item designation	Vehicle	Part no.
1 Standard seat, front left/right	Atn	B6 640 1510
1 Centre seat	Atn	B6 640 1512
1 Suspension seat, front left	Atn	B6 640 1513
1 Suspension seat, front right	Atn	B6 640 1514
1 Comfort suspension seat, front left	Atn	B6 640 1515
1 Comfort suspension seat, front right	Atn	B6 640 1516

Brasao

2



Item designation	Vehicle	Part no.
2 Grammer driver's suspension seat	Atf	B6 640 1171
2 Grammer co-driver's suspension seat	Atf	B6 640 1172
2 Isri driver's suspension seat with integral head restraint and belt guide	Atf	B6 640 1173
2 Isri co-driver's suspension seat with integral head restraint and belt guide	Atf	B6 640 1174
2 Grammer driver's suspension seat	Atf	B6 640 1252
2 Grammer co-driver's suspension seat	Atf	B6 640 1253
2 Isri driver's suspension seat with removable head restraint	Ax2 At2	B6 640 1254
2 Isri co-driver's suspension seat with removable head restraint	Ax2 At2	B6 640 1255
2 Standard fixed seat with belt on B-pillar	Ax1 Atf	B6 640 1256
2 Centre seat cover	Ax1 Atf	B6 640 1257
2 Isri driver's/co-driver's seat, integral head restraint, belt guide on B-pillar	Ax1 Atf	B6 640 1258

Standard design Axor 2/Atego 2

3



Item designation	Vehicle	Part no.
3 Isri driver's suspension seat with belt guide	Ax2 At2	B6 640 1237
3 Isri co-driver's suspension seat with belt guide	Ax2 At2	B6 640 1239
3 Standard fixed seat, belt on B-pillar	Ax2 At2	B6 640 1242
3 Centre seat with lap belt	Ax2 At2	B6 640 1243
3 Grammer driver's suspension seat	Atf	B6 640 1160
3 Grammer co-driver's suspension seat	Atf	B6 640 1161
3 Isri driver's suspension seat	Atf	B6 640 1162
3 Isri co-driver's suspension seat	Atf	B6 640 1163
3 Regular/folding co-driver's seat	Atf	B6 640 1164
3 Regular/folding co-driver's seat, RHD	Atf	B6 640 1165



Standard design, Axor 1

4



Item designation	Vehicle	Part no.
4 Driver's seat	Ax1	B6 640 1223
4 Grammer driver's suspension seat	Ax1	B6 640 1225

5C20



Item designation	Vehicle	Part no.
1 Isri standard seat cover	At1	B6 640 1201
1 Isri driver's seat	At1	B6 640 1202
1 Isri co-driver's seat	At1	B6 640 1203
1 Grammer driver's seat, up until 06/2000	At1	B6 640 1204
1 Grammer co-driver's seat, up until 06/2000	At1	B6 640 1205
1 Centre seat	At1	B6 640 1206
1 Grammer driver's seat, from 07/2000	At1	B6 640 1209
1 Grammer co-driver's seat, from 07/2000	At1	B6 640 1210
1 Isri seat, front left	At1	B6 640 1217
1 Isri, co-driver's seat, front right	At1	B6 640 1218
1 Isri standard seat, front right	At1	B6 640 1219
1 Isri seat with head restraint	At1	B6 640 1220

Protective seat covers for the workshop




Perfect protection: the protective covers are simple to slip into place over the seats and can be removed again with one pull. Ideal protection for the seats during workshop visits.

Product advantages Dirt-repellent, oil-repellent and water-repellent, highly flame-resistant, easily washable, preshrunk (will not shrink when washed)

Item designation	Vehicle	Part no.
Protective seat covers for the workshop	Ax1 Ax2 At1 At2 Atf Atn	B6 640 1166

Care set



Keeping things shining and visibility good: the care set comprises a wide range of care products to help you look after your vehicle – outside and inside.

Scope of delivery Cabin care lotion, insect remover, interior glass cleaner, quick cleaner, polishing cloth, bag

Product advantages Care products have been specially developed for Mercedes-Benz vehicles and tested for material as well as environmental compatibility

Item designation	Vehicle	Part no.
2 Care set	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 684 8618
3 Chrome care	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 986 4374



Hand-held vacuum cleaner



A clean sweep: the Vacuboy vacuum cleaner has the cab looking shipshape in next to no time. The 3-stage turbine delivers impressive suction, yet power consumption is low. Flexible use.

Operating voltage 24/220 V

Scope of delivery Hand-held vacuum cleaner, fabric dustbag, micro motor protection filter, upholstery nozzle, crevice tool, brush attachment, 24 V mains cable, 220V mains cable

Item designation	Vehicle	Part no.
Hand-held vacuum cleaner	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0011

Towel holder



Clean and dry: the towel holder is a practical, professional solution for anyone who spends a long time on the road. Designed for drying bath towels and hand towels.

Fitting	Simple to fit in roof area	
Item designation	Vehicle	Part no.
Towel holder	Ax2 At2	B6 667 2033

LED reading lamp



See things in a good light: LED reading lamp with flexibly adjustable gooseneck design.

Operating voltage	24 V	
Dimensions	Length approx. 400 mm	
Scope of delivery	Incl. bulb set, supplied with open cable end for individual installation	
Product advantages	Low power consumption (24 V/3W), long-life	
Item designation	Vehicle	Part no.
LED reading lamp	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 682 8805

Spectacles case, universal



Always in easy reach: spectacles case with embossed Mercedes star logo.

Material	Man-made leather	
Colour	Black	
Fitting	Adhesive or Velcro attachment to A-pillar	
Product advantages	Wide opening, flexible positioning	
Item designation	Vehicle	Part no.
Spectacles case, universal	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 626 0275

Additional ashtray



Lighting-up time: removable additional ashtray with hinged lid. For the drinks holder on the driver or co-driver's side.

Material	Polyamide	
Item designation	Vehicle	Part no.
Additional ashtray	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 626 0272

Back and neck cushions



Sitback back cushions


The Sitback back cushions offer comfort and effective relief for the lumbar region. Individual pneumatic adjustment.

Material	Fabric	
Fitting	With two clips for attaching between seat cushion and backrest	
Item designation	Vehicle	Part no.
1 Sitback Air back cushion	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0140

Sitback neck cushions

The neck cushions, designed for all seats with removable and integral head restraint, aid relaxation. They also serve as additional padding for the existing head restraint.

Material	Fabric	
Fitting	With Velcro strip for simple attachment	
Item designation	Vehicle	Part no.
For removable head restraint – also suitable for passenger cars	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0142
2 For integral seats (integral head restraint) – also suitable for passenger cars	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0141



Floor mats

Attractive protection: the hardwearing floor mats protect the interior from damage and dirt. The material helps create a pleasant living and working environment. The backing ensures they do not slide around. Available for all cab and seat variants in a range of materials. Easy to clean.

Rubber floor mats and centre mats

Precision-fit mats in hardwearing natural rubber.

Colour	Anthracite
Product advantages	Raised edge helps keep footwell clean; suitable for steam-cleaning; driver's mat has textile scuff-guard in heel area; precision fit and flexible edge prevent slipping

Item designation	Vehicle	Part no.
1 Driver's side	Ax1 Ax2 At1 Atf Atn	B6 768 0118
1 Co-driver's side	Ax1 Ax2 At1 Atf Atn	B6 768 0119
1 Centre mat	Ax1 Ax2 At1 Atf Atn	B6 768 0120

Rep floor mats

A touch of refinement for the vehicle interior: rep floor mats, precision-tailored to the cab. 100% polypropylene.

Product advantages	Non-slip backing, easier cleaning of the interior, suitable for steam-cleaning
---------------------------	--

Item designation	Vehicle	Part no.
2 Driver's side	Ax1 Ax2 At1 At2 Atf	B6 768 3049
2 Driver's side	Ax1	B6 768 3024
2 Co-driver's side	Ax1	B6 768 3025
2 Co-driver's side	Ax1 At1	B6 768 3050
2 Co-driver's side	Ax2 At2 Atf	B6 768 3209
Driver's side	Atn	B6 768 3211
Co-driver's side	Atn	B6 768 3212

Velour floor mats and centre mats

Carpet-grade pearl velour. No softening agents. Solvent-free. Matching centre mats.

Product advantages	Precision fit; non-slip polyurethane backing; can be steam-cleaned – adhesive qualities are retained
---------------------------	--

Item designation	Vehicle	Part no.
3 Centre mat, large, for tunnel	Ax1 Ax2 At1 At2 Atf Atn	B6 768 1215
3 Centre mat, small, for tunnel	Ax1 Ax2 At1 At2 Atf Atn	B6 768 1214
3 Centre mat, for tunnel	Ax1	B6 768 1202
3 Driver's side	Ax1	B6 768 1200
3 Co-driver's side	Ax1	B6 768 1201

CD box

Well stowed away: CD box for double DIN slot. Protects the CDs from sunlight, dust and heat. Compartments open individually at the touch of a button.

Fitting	Fitted above the windscreen, within reach of the driver	
Item designation	Vehicle	Part no.
CD box, retrofit double DIN slot	Ax2 At2	B6 626 0298



Electrical accessories.

First-class technology, outstanding connections: electrical accessories in Mercedes-Benz quality. Shut the door, hit the road, but keep in touch – with cutting-edge technology. From the front camera and reversing camera to the range of radios and communication solutions, including the classic CB radio – the choice is yours. Enjoy making the most of your breaks.

Universal mobile phone charging cradle

Best reception: the charging cradle allows you to connect your mobile phone to your vehicle's external aerial – and recharge its battery at the same time. It also provides a safe place to keep your mobile when you're on the move.

Scope of delivery 4 connecting cables for power supply to Nokia phones and phones with micro-USB port; holder for the most popular mobile phones

Item designation	Vehicle	Part no.
Universal mobile phone charging cradle (in conj. w. Code EU3 or J2C)	Ax2 Axf At1 At2 Atf Atn	B6 782 1305



[back to contents](#)

Retrofit mobile phone cradle

For good business connections: a retrofit mobile phone cradle. Permanent connection to the external aerial means that radiation in the cab is reduced to a minimum. The phone's battery is also recharged.

Item designation	Vehicle	Part no.
Retrofit mobile phone cradle (Code EU3)	Ax2 Axf At2 Atf Atn	B6 782 1291



CB radio

Universal CB radio, 12 V

At home on all channels: universal CB radio with 3 switchable national frequency tables. With ASC (automatic sound control) and microphone with up/down buttons for selecting channel.

Technical data 3 switchable national frequency tables: 80 FM channels, 4 W/12 AM channels, 1 W/40 FM channels, 4 W/40 AM channels, 1 W/40 FM channels, 4 W/CEPT

Item designation	Vehicle	Part no.
1 Universal CB radio, 12 V	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0017
Replacement microphone, CB radio	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0016



Standard CB radio, 12 V

Standard CB radio with practical channel selector and bar displaying opposite number's signal strength.

Technical data 40 FM channels, 4 W/40 AM channels, 1 W; squelch control to prevent background noise

Item designation	Vehicle	Part no.
2 Standard CB radio, 12 V	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 682 8599
Replacement microphone, CB radio	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0014



Accessories for CB radios

Item designation	Vehicle	Part no.
Additional loudspeaker	Ax1 At1	B6 682 8589
Microphone mount	Ax1 Ax2 Axf At1 At2 Atf Atn	A 943 828 0214
Housing	Ax2 At2 Atf	B6 683 0012
Mounting frame	Ax1 At1	B6 683 0013

Camera systems



Front camera system		
This eye misses nothing: the front camera records the blind spot in front of the cab, increasing safety when pulling away or manoeuvring.		
Function	Camera is activated and deactivated automatically according to the speed (approx. 30 km/h)	
Fitting	With flexible mounting system	
Scope of delivery	Incl. monitor, system box, cabling	
Product advantages	Provides a view of the blind spot in front of the cab; cable and plug systems approved for hazardous materials; waterproof camera housing (IP 69K protection); integral heating; straightforward cleaning of lens; system can be extended for combined use of front camera and reversing camera	
Note	Complies with statutory regulations governing replacement of front mirror	
Item designation	Vehicle	Part no.
1 Front camera system	Ax1 Ax2 Axf At1 At2 Atf	B6 782 1260



Reversing camera system		
Keeping an overview: the reversing camera system makes the area directly behind the vehicle visible, increasing safety and helping to prevent accidents. With or without overlay (lateral lines to make assessing distances easier).		
Function	System is automatically activated when reverse gear is engaged	
Product advantages	Increased accident prevention; precise reversing and manoeuvring; cable and plug systems approved for hazardous materials; waterproof camera housing (IP 69K protection); integral heating	
Note	A second person is still required to act as banksman at present; in conjunction with Code J9J (pre-installation for reversing camera) image is shown via video-capable instrument cluster, Code J1C (12.7 cm colour display)	
Item designation	Vehicle	Part no.
2 Reversing camera without overlay	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1275
Reversing camera with overlay	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1269
3 Adapter cable (in conjunction with Code J9J)	Atn	B6 753 0171
Multi-cable, 5 m	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1277
Multi-cable, 11 m	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1278
Multi-cable, 16 m	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1279
4 Multi-cable, 21 m	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1280
5 Helix cable	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1281



Bluetooth CD radio



Perfect infotainment: if required, other portable devices such as an MP3 player or an iPod can be connected. Bluetooth CD radio with integral hands-free system via Bluetooth interface. Ensures the driver's hands are free for steering.

Technical data	Radio with 4 wavebands - MW, FM, LW, SW; CD player (formats Audio CD, MP3, WMA); CAN interface for display in instrument cluster; operating voltage 24 V
----------------	---

Item designation	Vehicle	Part no.
Bluetooth CD radio (Code EU2)	Ax1 Ax2 Axf At1 At2 Atf	A 004 820 5386

Vehicle tracking



Small box, huge peace of mind: Mercedes-Benz vehicle tracking uses an integrated GPS receiver to transmit via satellite the precise location of your vehicle. In an emergency you can therefore respond quickly with cutting-edge technology. If your vehicle is stolen, you should immediately contact your alarm centre. The alarm centre network can be contacted round the clock in 36 European countries. Each centre liaises directly with national police forces to rapidly locate and recover the vehicle. Drivers benefit from Europe-wide roaming thanks to the SIM card reader with monthly contract. The vehicle tracking software and internet application are included in the specification. The vehicle tracking system is discreetly fitted so it cannot be seen from the outside, or even inside the vehicle. IP67 and IP56 protection.

Item designation	Vehicle	Part no.
Vehicle tracking	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 782 1245



FleetBoard

FleetBoard offers the optimum way to control your fleet, whether in long-distance, rural or urban transport. Helping make your operations even more profitable. There is a range of useful services – simply choose the ones that best suit your fleet.

Product advantages Available in over 50 countries; telematics services for client, driver, vehicle and load; simple, worldwide access to data via internet or FleetBoard app; extensive Mercedes-Benz sales and service network

Item designation	Vehicle	Part no.
1 FleetBoard wiring harness	Ax1 Ax2 At1 At2	B6 782 1230
2 FleetBoard retrofit kit, roof aerial	Ax1 Ax2 At1 At2	B6 782 1220
3 FleetBoard DispoPilot mount	Ax1 Ax2 At1 At2	B6 782 1187
4 FleetBoard DispoPilot battery	Ax1 Ax2 At1 At2	B6 782 1188
FleetBoard DispoPilot wiring harness YN3	Ax2 At2	B6 782 1191
FleetBoard wiring harness X63-X126	Ax1 Ax2 At1 At2	B6 782 1206
5 FleetBoard mounting frame	Ax1 Ax2 At1 At2	B6 782 1207
FleetBoard switch	Ax1 Ax2 At1 At2	B6 782 1208

ABS/EBS plug and socket

Plug and socket (ISO 7638) for standard cable. ADR/GGVS-approved. Straight rear outgoing circuit.

Technical data With 9 crimp contact sleeves (5 x 1.5 mm², 2 x 4 mm² and 2 x 6 mm²)

Item designation	Vehicle	Part no.
6 ABS/EBS plug	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0158
7 ABS/EBS socket	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0159

Plug and socket, 15-pin

Plug (ISO 12098) for standard cable and socket (ISO 12098) for standard and corrugated cable. ADR/GGVS-approved. Straight rear outgoing circuit.

Technical data Crimp connections (12 x 1.0 – 1.5 mm² and 3 x 2.5 mm²)

Item designation	Vehicle	Part no.
8 Plug, 15-pin	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0163
9 Socket, 15-pin	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0164

Adapter cable and adapter

Adapter cable and adapter for power supply between tractor and trailer or semitrailer.

Operating voltage 24V

Usage From socket (ISO 12098) on tractor vehicle to plug on trailer/semitrailer (ISO 1185 and ISO 3731)

Item designation	Vehicle	Part no.
10 24 V adapter cable, 15-pin to 2 x 7-pin	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0151
11 24 V short adapter, 15-pin to 2 x 7-pin, without cable	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0152
12 24 V adapter, 15-pin to 2 x 7-pin, with helix cable (Code E6E)	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 545 3984

Voltage reduction adapter

Versatile: voltage reduction short adapter for operating 12V trailers from a 24V on-board system.

Usage From 15-pin 24V to 13-pin 12V

Product advantages Automatic reset in the event of current overload/overheating; compatible with lamp monitoring units; correct function of ABS information module is assured

Note For bulbs only

Item designation	Vehicle	Part no.
Voltage reduction adapter	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0167

Trailer socket, 24 V



1 2

For a safe electrical connection between tractor and trailer or semitrailer. The socket can be used to power e. g. illumination, tail lights or brake lights.

Technical data	24 V; assignment 5 x 1.5 mm ² and 2 x 4 mm ² ; 7/15-pin ABS/EBS (ISO 7638)	
Length	Total 4.5 m	

Item designation	Vehicle	Part no.
1 Trailer socket, 15-pin	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 540 2739
2 Trailer socket, 7-pin	Ax1 Ax2 Axf At1 At2 Atf Atn	A 000 540 3839

Aerials



Always a good reception: various aerials for CB radio, radio or combined radio/GSM 900 MHz network are available for the Actros, Antos and Arocs. Your Mercedes-Benz partner will be happy to advise you

Item designation	Vehicle	Part no.
Rod aerial, radio, 420 mm	Ax2 Axf At2 Atf	A 001 827 8801
Rod aerial, CB radio, 450 mm	Ax2 Axf At2 Atf	A 001 827 9201
Trunking rod aerial	Ax1 At1	B6 682 8569
Dual-band rod aerial, 900 MHz/1800 MHz	Ax1 At1	B6 682 8572
Window aerial	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0015
3 Shortened AM/FM rod aerial 234 mm for Thermoking body	Atn	B6 782 1320
Aerial, GSM/GPS FleetBoard/navigation, cable length 1450 mm	Ax1 Ax2 Axf At1 At2 Atf	A 001 827 9401
Aerial assembly, radio, 60°, telephone, cable length 1150 mm	Ax1 Ax2 Axf At1 At2 Atf	A 003 820 2275
Aerial assembly, radio, 60°, telephone, cable length 2050 mm	Ax2 Axf At2 Atf	A 003 820 2375
Aerial assembly, CB radio, 10°, 450 mm, cable length 3500 mm	Ax1 Ax2 Axf At1 At2 Atf	A 003 820 2475
Aerial assembly, CB radio, 60°, 450 mm, cable length 3500 mm	Ax1 Ax2 Axf At1 At2 Atf	A 003 820 2575

3

HF adapters, GSM/GPS



Perfect connection for new aerials: HF adapters for connecting aerials with FAKRA connection to the FME connection in the electrical compartment (Code EV5).

Note FAKRA-coded, i. e. can also be used for other devices (e.g. trunking, GPS, fax, telephone)

Item designation	Vehicle	Part no.
GSM	Ax2 At2	B6 782 1264
GSM for FleetBoard	Ax1 At1	B6 782 1132
GPS for FleetBoard	Ax1 At1	B6 782 1133

Jump leads, 24 V



Get back on the move: jump leads with integral protective circuit to suppress inductive voltage spikes and four fully insulated crocodile clamps, in a practical carrying case.

Technical data	24 V, up to 1000 A, 50 mm ² cable cross-section	
Length	5 m	
Product advantages	Robust, vulcanised flat webbed cables, protected from tearing loose; reduced sparking; compliance with DIN 72 553; waterproof connectors and couplings	

Item designation	Vehicle	Part no.
Jump leads	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 753 0150

Thermal paper/Bulk pack of thermal paper



Printouts on heat-resistant thermal paper remain legible even after contact with water or engine oil.

Quantity Either three 8 m rolls or as bulk pack with 20 packs of three rolls

Item designation	Vehicle	Part no.
1 Thermal paper (three 8 m rolls)	Ax2 Axf At2 Atf Atn	B6 782 1244
2 Bulk pack of thermal paper (20 packs of 3 rolls)	Ax2 Axf At2 Atf Atn	B6 782 1243

Tachograph discs/Bulk pack of tachograph discs



Individually sealed tachograph discs in a box of 100 or as bulk pack containing 10 boxes of 100.

Item designation	Vehicle	Part no.
3 Individual tachograph discs (box of 100)	Ax1 Ax2 At1 At2	A 000 542 7594
4 Bulk pack of tachograph discs (10 boxes of 100)	Ax1 Ax2 At1 At2	B6 782 1246

Spare bulb box



Small and large bright spots: all the necessary spare bulbs in a sturdy box.

Product advantages Safe, space-saving storage in a handy box; cross-range suitability

Scope of delivery All the spare bulbs required for the main-beam headlamps, fog lamps, indicators, interior lights, etc.

Note Important: carrying spare bulbs is compulsory in many European countries

Item designation	Vehicle	Part no.
5 Spare bulb box H7, small	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0022
Spare bulb box H4, small	At1	B6 683 0023
6 Spare bulb box H7, large	Ax1 Ax2 Axf At1 At2 Atf Atn	B6 683 0021

Contents of spare bulb boxes


5 H7, small	H4, small	6 H7, large	Contents of spare bulb boxes	
-	-	1x	H1	Main-beam headlamp
1x	-	2x	H7 LHD	Low-beam headlamp
-	1x	-	H4	Low-beam headlamp
2x	2x	3x	P21W	Rear lights: Indicator, reversing lights, brake lamp
1x	1x	3x	R10W	Licence plate, side positioning lamp, tail lamp
1x	1x	1x	PY21W	Front indicator
-	1x	1x	C5W	Marker lamp front left or right on wind deflector
1x	-	2x	W5W	Side lights, entrance
1x	1x	2x	Fuse 10A	
1x	1x	2x	Fuse 15A	
1x	1x	1x	Fuse 20A	
1x	1x	1x	Fuse 25A	

Assisting you in your day-to-day work.

Mercedes-Benz Genuine Accessories for Econic.



Lockable fuel filler cap



Perfect protection: the lockable fuel filler cap makes life more difficult for fuel thieves. Easy and convenient to use thanks to single-key system for the fuel tank.

Scope of delivery	AdBlue® filler cap is supplied with two colour-coded keys	
Note	Diesel filler cap is supplied without a lock cylinder. Cylinder with key must be ordered separately – either with vehicle locking system or with any desired locking system. The alternatives shown below are available	

Item designation	Vehicle	Part no.
1 Lockable fuel filler cap for AdBlue®	Eco	A 000 470 4405
2 Lockable filler cap for diesel	Eco	A 000 470 5405

Lock cylinders for lockable fuel filler cap		
Item designation	Vehicle	Part no.
Lock cylinder for vehicle locking system	Eco	A 000 760 3605
Lock cylinder for different locking system	Eco	A 000 760 4305

Spectacles case, universal



NEW

Always in view: spectacles case with large opening, providing simple, safe and quick access to spectacles or sunglasses.

Material	Man-made leather, with embossed Mercedes star	
Colour	Black	
Fitting	Simple Velcro attachment	
Product advantages	Wide opening, flexible positioning	

Item designation	Vehicle	Part no.
Spectacles case, universal	Eco	B6 626 0275

Hand-held vacuum cleaner



A clean sweep: the Vacuboy vacuum cleaner has the cab looking shipshape in next to no time. The 3-stage turbine delivers impressive suction, yet power consumption is low. Flexible use.

Operating voltage	24/220 V	
Scope of delivery	Hand-held vacuum cleaner, fabric dustbag, micro motor protection filter, upholstery nozzle, crevice tool, brush attachment, 24 V mains cable, 220 V mains cable	

Item designation	Vehicle	Part no.
Hand-held vacuum cleaner	Eco	B6 683 0011

Back and neck cushions



Sitback back cushion

The Sitback back cushions offer comfort and effective relief for the lumbar region. Individual pneumatic adjustment.

Material	fabric	
Fitting	With two clips for attaching between seat cushion and backrest	

Item designation	Vehicle	Part no.
3 Sitback Air back cushion	Eco	B6 753 0140


Sitback neck cushions

The neck cushions, designed for all seats with removable and integral head restraint, aid relaxation. They also serve as additional padding for the existing head restraints.

Material	fabric	
Fitting	With Velcro strip for simple attachment	

Item designation	Vehicle	Part no.
For detachable head restraint – also suitable for passenger cars	Eco	B6 753 0142
4 For integral seats (integral head restraint) – also suitable for passenger cars	Eco	B6 753 0141

Key ring



NEW

Practical and convenient: the key ring has been specially designed for your truck's multifunction key and is very simple to attach. Further keys may also be attached to the key ring.

Material	Made out of felt, with Mercedes-Benz logo	
Dimensions	(WxLxH) 150x35x5 mm	

Item designation	Vehicle	Part no.
Key ring	Eco	B6 667 2041

Seat covers, standard design



Ideal protection and superb comfort: the seat covers protect the seats against wear, damage and dirt. They also offer outstanding comfort. Simple, non-slip fit.

Fitting Zip fastening for easy fitting

Multicolour jacquard

Elegant, hardwearing seat covers in multicolour jacquard, for all colours used as standard. Seams trimmed with man-made leather. Plastic eyelets for insertion holes for head restraints. Special Mercedes-Benz design.

Product advantages Optimum fit, highest fade-resistance factor (6), easy-care, washable at up to 30° C

Item designation	Vehicle	Part no.
1 Isri driver's seat	<small>Eco</small>	B6 640 1032
1 Grammer driver's seat	<small>Eco</small>	B6 640 1034
1 Co-driver's bench seat	<small>Eco</small>	B6 640 1135

Microfibre velour

Exclusive, tailored seat covers in hardwearing microfibre velour.

Product advantages Zip fastenings for easy fitting, washable at up to 30° C


Item designation	Vehicle	Part no.
2 Grammer driver's suspension seat	<small>Eco</small>	B6 640 1160
2 Isri driver's suspension seat	<small>Eco</small>	B6 640 1162
2 Co-driver's bench seat	<small>Eco</small>	B6 640 1167

Man-made leather


Precision-fit, mid-grey man-made leather covers in 74 % PVC/10 % polyester foam/16 % polyester.

Product advantages Easy to fit, dirt-repellent, hardwearing, washable

Item designation	Vehicle	Part no.
3 Driver's seat	<small>Eco</small>	B6 640 1136
3 Co-driver's bench seat	<small>Eco</small>	B6 640 1137
3 Co-driver's seat	<small>Eco</small>	B6 640 1168



Floor mats



Attractive protection: the hardwearing floor mats protect the interior from damage and dirt. The material helps create a pleasant working environment. The backing ensures they do not slide around. Available for all cab and seat variants in a range of materials. Easy to clean.

Rep floor mats

Rep floor mats, precision-tailored to the cab. Driver's mat is reinforced with plastic scuff-guard in pedal area.

Material 100 % polypropylene, total thickness 14 mm
Colour Anthracite grey
Product advantages Non-slip backing, easier cleaning of the interior, suitable for steam-cleaning

Item designation	Vehicle	Part no.
5 Floor mat, driver's side	<small>Eco</small>	B6 768 3045
5 Floor mat, co-driver's side	<small>Eco</small>	B6 768 3046

Rubber floor mats

Raised edge helps keep footwell clean. Driver's mat has textile scuff-guard in heel area.

Material Hardwearing natural rubber
Colour Anthracite
Product advantages Precision fit and flexible edge prevent slipping; suitable for steam-cleaning

Item designation	Vehicle	Part no.
4 Floor mat, driver's side	<small>Eco</small>	B6 768 0130
4 Floor mat, co-driver's side	<small>Eco</small>	B6 768 0136
4 Floor mat, centre	<small>Eco</small>	B6 768 0135

Collapsible box

NEW



For universal use: The collapsible box can be used e.g. to keep drinks cool and hot food warm. Makes ideal use of space available underneath co-driver's seat.

Material Polypropylene
Dimensions (WxLxH) 300x500x200 mm
Product advantages Hardwearing, washable, dishwasher-proof, low weight, foldable, good insulating function for transporting fresh foods, comfortable strap for carrying purposes

Note Box with insulating function for use in on-board stowage compartments

Item designation	Vehicle	Part no.
Collapsible box	<small>Eco</small>	B6 626 0110




Mobile LED sequential flash set

Whether it's a breakdown or an accident, the LED sequential flash set alerts following traffic in good time to the scene of the incident and guides it safely past. The five bright LED light elements can be set up in next to no time. And thanks to the sequential flashing light signals, the risk of not being seen despite fluorescent jacket and warning triangle is significantly reduced.

Technical data	Frequency 60 flashes/minute, operating voltage 10-30 volt DC, rechargeable via vehicle's electrical system using 2-pin automotive connector (connector for cigarette lighter)
-----------------------	---

Scope of delivery	5 LED light elements in a combined transport/charging case with charging cable
--------------------------	--

Item designation	Vehicle	Part no.
Mobile LED sequential flash set	Eco	B6 653 0015




Warning light

See and be seen: the warning light, a legal requirement in some countries, helps secure the scene of an accident and protect broken-down vehicles.

Function	The amber flashing light helps safeguard the hazardous location, while the white continuous light can be used to work on the vehicle in darkness
-----------------	--

Item designation	Vehicle	Part no.
Warning light	Eco	A 628 583 0153



Jump leads, 24V


Get back on the move: jump leads with integrated protective circuit for suppressing inductive voltage spikes and four fully insulated crocodile clamps, in a practical carrying case.

Technical data	24 V, up to 1000 A, 50 mm ² cable cross-section
-----------------------	--

Length	5 m
---------------	-----

Product advantages	Robust, vulcanised flat-webbed cables, with tear-loose protection; reduced sparking; compliance with DIN 72 553; connectors and couplings watertight
---------------------------	--

Item designation	Vehicle	Part no.
Jump lead set	Eco	B6 753 0150



Fluorescent jacket

Unmissable: the fluorescent jacket, a legal requirement in some countries, features reflective stripes and a luminous colour to help you stay safe. Whether in daylight or after dark – when you're working outside the vehicle other road users will be able to see you from afar.

Item designation	Vehicle	Part no.
Fluorescent jacket	Eco	A 000 583 0461

Thermal paper/Bulk pack of thermal paper



Printouts on heat-resistant thermal paper remain legible even after contact with water or engine oil.

Quantity	Either three 8 m rolls or as bulk pack with 20 packs of three rolls	
Item designation	Vehicle	Part no.
1 Thermal paper (three 8 m rolls)	Eco	B6 782 1244
2 Bulk pack of thermal paper (20 packs of 3 rolls)	Eco	B6 782 1243

Tachograph discs/Bulk pack of tachograph discs



Individually sealed tachograph discs in a box of 100 or as bulk pack containing 10 boxes of 100.

Item designation	Vehicle	Part no.
3 Individual tachograph discs (box of 100)	Eco	A 000 542 7594
4 Bulk pack of tachograph discs (10 boxes of 100)	Eco	B6 782 1246

Spare bulb box



Small and large bright spots: all the necessary spare bulbs in a sturdy box.

Product advantages	Safe, space-saving storage in a handy box; cross-range suitability
Components	All the spare bulbs required for the main-beam headlamps, fog lamps, indicators, interior lights, etc.
Note	Important: carrying spare bulbs is compulsory in many European countries

Item designation	Vehicle	Part no.
5 Spare bulb box H7, small	Eco	B6 683 0022
Spare bulb box H4, small	Eco	B6 683 0023
6 Spare bulb box H7, large	Eco	B6 683 0021

Contents of spare bulb boxes

5 H7, small	H4, small	6 H7, large	Contents of spare bulb boxes	
-	-	1x	H1	Main-beam headlamp
1x	-	2x	H7 LHD	Low-beam headlamp
-	1x	-	H4	Low-beam headlamp
2x	2x	3x	P21W	Rear lights: Indicator, reversing lights, brake lamp
1x	1x	3x	R10W	Licence plate, side positioning lamp, tail lamp
1x	1x	1x	PY21W	Front indicator
-	1x	1x	C5W	Marker lamp front left or right on wind deflector
1x	-	2x	W5W	Side lights, entrance
1x	1x	2x	Fuse 10A	
1x	1x	2x	Fuse 15A	
1x	1x	1x	Fuse 20A	
1x	1x	1x	Fuse 25A	

Actros, Antos and Arocs

Accessories for CB radios	64	Door blind	60	Lightweight fifth wheel coupling	28	Rotating beacons	16
Adapter	69-71, 73	Door sill panel	10	Lock cylinder for lockable fuel filler cap	29	Rotation chains	27
Adapter cable	65, 69	Door sill trim	10	Lockable fuel filler cap	29	Rubber mats	56-57
Additional ashtray	46	Duvet	38	Logo	10	Seat accessories	50-56, 61
Additional headlamp	14-15	Duvet cover	38	Louvres	8-9	Seat base	33
Aerials	72	EEV retrofit	75	LubeTronic lubricant dispenser	29	Seat base covering	33
Air back cushion	61	Electronic tachograph	74	Lubricant dispenser	29	Seat covers	50-56
Air conditioning	49	Emblem	10	Lumbar support	61	Seat cushions	61
Air horns	20	Emission standard	75	Man-made leather	35, 42, 45, 53	Sequential flash set	31
Air horns, two-tone	20	Entrance	21	Manoeuvring aid	65	Shark's gill spoiler	22
Air vent	11	Entrance emblem	10	Marker lamp	17	Shark's gills	22
Alarm clock	43	Euro 5	75	Mats	56-60	Sheets	39
Anti-theft protection	29	Expander	32	Mattress	39	Side panelling	9
Ashtray	46	Fifth wheel couplings	28-29	Mattress protector	39	Side window wind deflector	19
Audio adapter set	69	Fitted sheet	39	Mercedes star, illuminated	18	Sitback back cushions	61
Auxiliary air conditioning	49	Fleet navigation	66	Mercedes-Benz door sill panel	10	Sitback neck cushions	61
Back cushion	61	FleetBoard	66, 72	Mercedes-Benz entrance emblem	10	Socket	67-68
Bag	46-48	Floodlights	15	Mercedes-Benz logo, surround	10	Spacer, CB radio aerial	73
Bag for stowage compartment	46-48	Floor mats	56-60	Microfibre velour	50-52	Spare bulb box	74
Bedding	38	Fluorescent jacket	30	Mirror covers	12	Spare bulbs	74
Bedding sets	38	Folding table	42	Mirror housing	12	Spectacles case	45
Bedsheets	39	Footrest cushion	35	Mirror trim	12	Spoiler	22
Blinds	60	Front apron	9	Mobile LED sequential flash set	31	Stainless steel care set	44,
Bluetooth CD radio	64	Front bar	18	Mobile phone	63	Stainless steel front bar	18
Bolster	38	Front camera system	65	Mobile phone charging cradle	62	Stainless steel front step	21
Brush guard	18	Front step	21	Mobile phone cradle	63	Stainless steel grab handles	49
Bulk pack of tachograph discs	74	Fuel filler cap	29	National flag mirror trim	12	Stainless steel logo	10
Bulk pack of thermal paper	73	Fuel filler cap lock cylinder	29	National flags	12	Stainless steel louvres for front	9
Bull bar	18	Fuel savings	75	Navigation	66, 72	Stainless steel rear-wheel hub caps	25
Cabin care	44	German flag	12	Navigation DVD	66	Stainless steel steps	21
Cables	65, 68-71	Gills	9, 22	Neck cushion	61	Stainless steel trim for gills in side panelling	9
Camera systems	65	GPS	62, 72	Neck pillow	38	Stainless steel trim for steps	21
Canister	31	Grab handles	49	Pillow	38	Stainless steel trim strips	9
Care products	20, 44	GSM 900 MHz network	72	Plug	67-68	Stainless steel wheel trim and wheel nut cap sets	24
Care set	20, 44	Hand-held vacuum cleaner	44	Polishing cloth	20, 44	Steering wheel	34-35
Case	45	Handles	49	Position lights	14, 17	Step	21
CB radio	64	Head restraint	61	Power	67-68	Stowage area	35-37, 42
CB radio communication	64, 72	Headlamp holder	12-13	Power consumption	67-68	Stowage compartment	46-48
CD box	37	Headlamp protector	22	Power plug	68	Stowage compartment bag	46-48
Centre mats	57-59	Headlamps	14-15	Power socket	68	Stowage compartment bag, bed	47-48
Centre stowage tray	36	Fitness set	32	PPC retrofit	75	Stowage compartment bag, driver's seat	47
Chain wheel	27	Heat protection	60	PremiumComfort mattress	39	Stowage locker mats	48
Charging cradle	63	HF adapters, GSM/GPS	73	Protective caps	24	Stowage tray	37
Chrome care	44	Horns	20	Protective mats	48, 56-60	Sun protection	60
Chrome highlight	11	Illuminated Mercedes star incl. installation kit	18	Protector	39	Sunblinds	60
Chrome louvres for front	8	Insect remover	20, 44	Radio	64	Sunglasses case	45
Chrome package	11	Instrument support	36	Rail for hand towel	48	Surround for Mercedes-Benz logo below windscreen	10
Chrome trim	12	Instrument support trim	36	Reading lamp	43	Swivel table	42
Chrome trim strips	11	Instrument trim	36	Rear-wheel hub caps	25	Table	42
Clock	43	Insulated box	41	Rep mats	57-58	Tachograph	74
Clothes storage	46-48	Insulation	61	Replacement chain wheels	27	Tachograph discs	74
Coffee maker	40	Inverter	67	Replacement star	18	Thermal paper	73
Collapsible box, SoloStar	41	iPod cradle	69	Retrofit air horns	20	TopFit set	32
Coolbox	41	Jost	28	Retrofit EEV emissions standard	75	Towel holder	48
Corduroy edging	33	Jump leads	71	Retrofit LED daytime running lamps	17	Tracking	62
Covering	33, 36	Kettle	40	Retrofit mobile phone cradle	63	Traction aid	27
Covers	21, 25	Key case	45	Retrofit PPC	75	Trailer socket	71
Cow catcher	18	Key ring	45	Retrofit star	18	Training kit	32
Daytime running lamps	17	Lamp	14-18, 43, 74	Reversing aid	65	Transformer	67
Decal 'Actros'	23	Laundry bag for stowage compartment	46	Reversing camera system	65	Trim for steps	21
Decals	23	Leather steering wheels	34-35	Rim	24-26	Trim parts	9
Decorative features	23, 36	LED daytime running lamps	17	Rolf-lamp bracket	12-13	Trim strips	9
Detachable body components, aerodynamic	22	LED headlamp	14-15	Roof lamps	14-15	Truck navigation DVD 2014/2015	66
Digital clock	43	LED marker lamps	17	Roof-lamp bracket	12-13	Universal mobile phone charging cradle	63
		LED reading lamp	43	Roof-mounted auxiliary air conditioning	49	Universal mobile phone cradle	63
		LED sequential flash set	31	Roof-mounted headlamp holder	12-13	USB devices	68-69
		Light-alloy wheel	26	Roof-mounted headlamps	12-15	USB extension cable	68

USB/iPod interface	69
Vacuum cleaner	44
Valve	26
Valve extension	26
Vehicle tracking	62
Velour mats	59-60
Video adapter set	69
Voltage reduction adapter	71
Voltage transformer	71
Warning lamp	30
Warning light	16, 30
Water canister	31
Wheel covers, full	25
Wheel nut cap remover	24
Wheel nut caps	24
Wheel trim	24
Wheel trim and wheel nut cap sets	24
Wind deflector	19
Window cleaning spray, inside/outside	20, 44
Window insulation mat	61
Wood steering wheel	34-35
Wood trim	34-36
Workshop cover	56

Axor and Atego

Accessories for CB radios	109
Accessories for radio communication	109
Adapter	113, 115
Adapter cable	110, 113
Additional ashtray	105
Additional headlamp	80-81
Aerials	114
Air back cushion	105
Air horns	82
Anti-theft protection	90
Ashtray	105
Auxiliary brake	91
Back cushion	105
Bedding	94
Bedding sets	94
Bedsheets	95
Bluetooth CD radio	111
Bolster	95
Brake	91
Brush guard	79
Bulk pack of tachograph discs	116
Bulk pack of thermal paper	116
Bull bar	79
Cabin care	80, 103
Camera systems	110
Care set	80, 103
Case	104
CB radio	109
CB radio communication	109, 114
CD box	107
Centre mats	106
Chain wheels	87
Charging cradle	108
Chrome care	80, 103
Chrome trim	79
Collapsible box	92
Compressor coolbox	95
Coolbox	95-96
Cover	85

Cow catcher	79
Decorative features	93
Door	79
Door sill panel	78
Door sill trim	78
Duvet	94
Duvet cover	94
Electronic tachograph	116
Emblem	78
Entrance	82
Entrance emblem	78
Fifth wheel couplings	88
Fitted sheet	95
FleetBoard	112, 114-115
Floodlights	80
Floor mats	106
Fluorescent jacket	86
Front bar	79
Front camera system	110
Fuel filler cap	90
Fuel filler cap lock cylinder	90
GPS	111, 114-115
GSM 900 MHz network	114
Hand-held vacuum cleaner	103
Head restraint	105
Headlamp bracket	80
Headlamp holder	80
Headlamps	81
HF adapters, GSM/GPS	115
Horns	82
Insect remover	80, 103
Instrument support	93
Instrument support trim	93
Insulated box	96
Jost	88
Jump leads	115
Key ring	96
Lamps	80-81, 104, 117
LED headlamp	81
LED reading lamp	104
LED sequential flash set	89
Light-alloy wheel	83
Lightweight fifth wheel coupling	88
Lock cylinder for lockable fuel filler cap	90
Lockable fuel filler cap	90
LubeTronic lubricant dispenser	89
Lubricant dispenser	89
Lumbar support	105
Manoeuvring aid	110
Mats	106
Mercedes-Benz door sill panel	78
Mercedes-Benz entrance emblem	78
Mobile LED sequential flash set	89
Mobile phone	108-109
Mobile phone cradle	108-109
Mud flaps	89
Neck cushion	105
Neck pillow	95
Permanent magnet retarder	91
Pillow	94
Plug	112
Polishing cloth	80, 103
Position light	81
Power	112-114
Protective caps	86
Radio	111
Rail for hand towel	104

Reading lamp	104
Rear-wheel hub caps	83
Rep mats	106
Replacement chain wheels	87
Retrofit air horns	82
Retrofit mobile phone cradle	109
Retrofit permanent magnet retarder	91
Reversing aid	110
Reversing camera system	110
Rim	83-85
Roof-mounted headlamp holders	80
Roof-mounted headlamps	80-81
Rotation chains	87
Rubber mats	106
Seat accessories	92, 97-102, 105
Seat covers	92, 97-102
Seat cushions	105
Sequential flash set	89
Sheets	95
Side window wind deflector	90
Sitback back cushions	105
Sitback neck cushions	105
Socket	112, 114
Spare bulb box	117
Spare bulbs	117
Spectacles case	104
Stainless steel care set	80, 103
Stainless steel front bar	79
Stainless steel rear-wheel hub caps	83
Stainless steel steps, single or set of 3	82
Stainless steel wheel trim and wheel nut cap sets	84
Step	82
Stowage shelf	93
Stowage tray	93
Sunglasses case	104
Tachograph	116
Tachograph discs	116
Thermal paper	116
Towel holder	104
Tracking	111
Traction aid	87
Trailer socket	114
Two-tone air horns	82
Universal mobile phone charging cradle	108
Vacuum cleaner	103
Vehicle tracking	111
Velour mats	106
Voltage reduction adapter	113
Warning light	86
Wheel covers, full	85
Wheel nut cap remover	86
Wheel nut caps	86
Wheel trim	84
Wind deflector	90
Wind protection	90
Window cleaning spray, inside/outside	80, 103
Workshop cover	102

Econic

Air back cushion	121
Anti-theft protection	120
Back cushion	121
Bulk pack of tachograph discs	126
Bulk pack of thermal paper	126

Collapsible box	123
Electronic tachograph	126
Floor mats	123
Fluorescent jacket	125
Fuel filler cap	120
Hand-held vacuum cleaner	120
Head restraint	121
Jump leads	125
Key ring	121
LED sequential flash set	124
Lock cylinder for fuel filler cap	120
Lockable fuel filler cap	120
Lumbar support	121
Man-made leather	122
Microfibre velour	122
Mobile LED sequential flash set	124
Multicolour jacquard	122
Neck cushion	121
Rep mats	123
Rubber mats	123
Seat accessories	121-122
Seat covers	122
Seat covers	122
Seat cushions	121
Sequential flash set	124
Sitback back cushions	121
Sitback neck cushions	121
Spectacles case	120
Tachograph	126
Tachograph discs	126
Thermal paper	126
Vacuum cleaner	120
Warning light	124



Please note: changes may have been made to the product since this catalogue went to press (08/2015). The manufacturer reserves the right to make changes to the design, form, colour and specification during the delivery period, provided these changes, while taking into account the interests of the vendor, can be deemed reasonable with respect to the purchaser. Where the vendor or the manufacturer uses symbols or numbers to describe an order or the subject of an order, no rights may be derived solely from these. The illustrations may show accessories and items of special equipment which are not part of standard specification. Colours may differ slightly from those shown in the catalogue, owing to the limitations of the printing process. This catalogue may also contain models and services which are not available in certain countries. Information given regarding statutory regulations, legal requirements and taxation applies only to the Federal Republic of Germany at the time of going to press. Please consult your Mercedes-Benz retailer for final details. www.mercedes-benz.com